

R.O. No.

2018

Stock No.

A3 e-tron Sportback

Audi Pre-Delivery Inspection

Dealer Number

VIN Road test mileage out	Road test mileage in
Reminders	
► All items must be completed prior to customer delivery by an	Audi technician
► Audi recommends using an Audi approved battery charger to	
► ALL PDI function tests must be run in Guided Fault Finding (GFF) only. Do NOT use Guided Functions for any PDI related test of the Special functions tab of ODIS Diagnosis for using GFF for PDI
► For items marked with *, please refer to the PDI Technician Re	eference Document posted on ServiceNet for additional information
► For items marked with **, follow instructions for stock invent	
Vehicle Preparation	Lighting and Windshield
☐ Check Elsa for open campaigns and updates	☐ Test exterior lighting functions
☐ Deactivate vehicle transport mode*	☐ Test front washers (and headlight washers if equipped)*
This step must be performed with the engine off , and ignition on	☐ Install wiper blades
\square Set adaption channel to enable CD Ripping (if equipped with	Trunk Inspection
NAV)*	☐ Verify tailgate is operational
Set service reminder*	☐ Verify operation of emergency release handle
Perform any open campaigns*	☐ Install wheel bolt cover removal tool from PDI kit into trunk
Set the service intervals to 10k instead of 5k during PDI or existing 2017 vehicles that are set incorrectly	tool kit*
1. Click on the "Special functions" tab	☐ Verify tool kit is installed securely in luggage compartment
2. Scroll down to 'Maintenance'	☐ Verify tire repair kit and compressor are present
3. Select the 17 - inspection with oil change - 10,000 miles,	Check battery clamps for proper torque*
USA function test	Interior
 Perform the function test, but make sure you select "USA" as the country variant and when the question "Which service display should be reset?" comes up, 	☐ Verify operation of all seat belts and latches
	☐ Check operation of window, lock, and seat controls*
select #2 (Oil service display and inspection service	☐ Inspect mirrors for proper operation*
display).	☐ Check rear view mirror operation*
 Then the MMI[®] indicator should now properly display the following values 	☐ Verify operation of all interior lights
Next oil service in 10,000 miles / 365 days	☐ Verify operation of heated seats (if equipped)
 Next inspection service at 20,000 miles / 730 days 	☐ Verify operation of manual folding 2nd row3
Hext hispection service at 20,000 miles / 750 days	☐ Verify proper operation of climate control*
Exterior	☐ Inspect operation of all power outlets*
☐ Check all key buttons and features*	☐ Check panoramic sunroof and sunshade operation*
☐ Inspect the outer door seals at all four doors and clean any visible adhesive using D 002 000 A2 Adhesive Remover or	☐ Verify the glove compartment opens and closes properly

Acetone



2018

A3 e-tron Sportback

Audi Pre-Delivery Inspection

Interior (continued)	On-Hoist Inspection (continued)		
☐ Verify operation of front Passenger Occupant Detection System	☐ Install wheel locks (if equipped)		
	☐ Install wheel bolt covers and center caps as supplied*		
Settings	☐ Inspect wheel bolts for proper torque*		
☐ Verify operation of MMI® touch pad (if equipped)	Set and store tire pressures for either sold vehicle OR stock		
☐ Set time source setting to "GPS" and set auto daylight savings time to "on."*	inventory vehicle*		
Set Time to "Automatic setting" and "Automatic time zone" Verify and set language and measurement units*	Driving Performance		
	Check horn operation		
Verify Speech Dialog System is operating*	Verify hold and release of parking brake		
Set "Entertain. Fad." in Parking aid to an audible level*	☐ Verify engine performance and acceleration*		
Set dealership location in navigation (if equipped)*	Verify transmission operation, including shift paddles (if equipped)		
Turn off Manual Speed Warning (if equipped)*	☐ Test drive vehicle applying brakes several times*		
	☐ Check steering/tire alignment		
Media / Radio / SAT	☐ Check for squeaks, rattles and wind noise		
Verify operation of all USB ports	Calibrate rear view mirror*		
Verify operation of AMI or aux. input (if equipped)	☐ Verify quality of radio reception in AM/FM/SiriusXM® bands		
Verify operation of CD/DVD player (if equipped)			
Insert SD card and test function of all slots	Driver Assistance		
Program the presets to local stations	☐ Verify cruise control/ACC functionality (if equipped)		
☐ Verify HD Radio is turned "off"*	☐ Verify Audi side assist functionality (if equipped)		
Audi connect® (USA ONLY) (if equipped)	☐ Verify Audi side assist functionality Pre sense® rear (if equipped)		
If Audi connect is not functioning with an error message, "The myAudi Server is currently unavailable", reference TSB	☐ Verify Audi active lane assist functionality (if equipped)		
2048436 to activate service	☐ Verify operation of parking system (if equipped)*		
☐ Verify Audi connect® Information Packet is present*	☐ Verify operation of High-beam assistant (if equipped)		
☐ Check LTE connection is possible (if vehicle is marked retail sold in DMS, data is only available after customer starts 6-month trial in www.myaudiconnect.com)	Activate NAV and follow directions back to dealership (if equipped)		
☐ Verify system connects to mobile network (if equipped).	Hybrid Technology		
Review TSB 2042942 for additional information*	☐ Verify EV button is operating*		
☐ Turn on the wireless network (if equipped)*	☐ Verify charging while braking in recuperation range*		
☐ Check Wi-Fi® hotspot visibility. No data available at PDI (if equipped)*	☐ Check MMI® and instrument cluster for proper operation mode indication (only shows in MMI® if equipped with		
☐ Enable Google Earth™ (if equipped)*	NAV)*		
On-Hoist Inspection	Set charging timers to default settings		
Remove transport suspension blocks (follow ELSA instruc-	☐ Verify front charge port is operational*		
tion)	☐ Verify the charging cables and charger are present and operational		
☐ Check steering, boots, brake system, hoses, tires and wheels for damage	Check the level of the high voltage battery, and charge to full for customer delivery		
Check underside of vehicle for fluid leaks and loose components	Tall for customer delivery		

Effective 7-25-2017-US Version 1.2



2018

A3 e-tron Sportback

Audi Pre-Delivery Inspection

Post-Road Test Inspection			
☐ Interrogate fault memory and upload diagnostic log to GFF Paperless Server			
Perform a battery test*			
☐ Select reset interval in the MIB Service and Checks menu it is not displaying correct 10K and 20K intervals	if		
☐ Ensure the yellow tire pressure tag is installed on the steering wheel			
Apply Inventory Maintenance Sticker**			
☐ Install showroom charger to ensure battery remains charged at all times**			
			·/////////////////////////////////////
///// Technician			
I certify that all operations have been completed and thi Quality Standards, and has met the standards for Perfect		d in accordance with Audi Procedures and	
Technician Signature	Last 8 of VIN	Completion Date	- '///,
<i>\\\\\\\</i>			<i>4//////</i>