



Service Bulletin

File in Section: 06 - Engine

Bulletin No.: 15-06-03-002M

Date: April, 2018

INFORMATION

Subject: Original Equipment Batteries Part Number and ACDelco Replacement Battery Approved Warranty Part Numbers

Models: 2016-2018 GM Passenger Cars and Trucks


Attention: This Bulletin also applies to any of the above models that may be Export from North America vehicles.

This Bulletin has been revised to update the information in the table below. Please discard Corporate Bulletin Number 15-06-03-002L.

Correct battery cold cranking amperage (CCA) ratings and type are critical for proper test results when using the EL-50313. Access to the battery specification label, which contains the OEM part number and CCA rating and type, may be difficult without component removal. Refer to the table below for the original equipment ratings and part numbers used to set up a proper battery test. There has been some confusion as to the correct CCA rating to use, SAE vs. EN. SAE is the correct rating to use for GMNA. Refer to the table below for the correct battery warranty replacement.


The correct ACDelco battery warranty replacement in the catalog is designated by the "Original Equipment Replacement" note in the description field.

To ensure accuracy and minimize errors, feedback should be submitted to the parts catalog when questions arise about correct part numbers. Use the following steps to provide feedback.



5028785

1. Select: Help, located in the upper right hand corner of the EPC screen.



5028788

2. Select: Contact US



3. At the TO: pull down menu, Select: gmpartscatalog@gm.com

5028793

Contact Us
✕

To: *

Cc:

Subject:

Include Support Related Details

<p>Dealership Name: * <input type="text"/></p> <p>Contact Name: * <input type="text"/></p> <p>Email Address: * <input type="text"/></p> <p>VIN/RN: <input type="text"/></p> <p>Part Name: <input type="text"/></p> <p>Art Number: <input type="text"/></p>	<p>Dealer Code (BAC): * <input type="text"/></p> <p>Phone: * <input type="text"/></p> <p style="text-align: center; font-weight: bold; font-size: small;">Fields marked with * are required</p> <p>Make/Year/Model: <input type="text"/></p> <p>Part Number: <input type="text"/></p> <p>Callout Number: <input type="text"/></p>
--	---

To save a copy of this feedback email, please type your email address into the Cc field before submitting.

Attachments:

Include Screenshot

4. Fill in the Red Asterisk fields and any other available information to provide as much information as possible. Include your email in the Cc: field. Click the Submit button once the form is completed.

When testing batteries, you must:

- Select "Out of Vehicle" when setting up the test.
- Disconnect both of the battery cables from the battery. The battery does not need to be removed from the vehicle.
- Connect the EL-50313 directly to the battery terminal posts.
- Select the correct SAE CCA. The battery should be close to room temperature and not frozen.
- Select the proper battery type; Flooded, AGM, or Stop/Start AGM (AUX12 Battery).

Note: Select the proper battery type to prevent battery damage and to ensure correct test results.

Notice: Batteries that are deeply discharged will take an extended time to recharge. Batteries that are cold (below freezing) can falsely fail testing. Batteries that are cold and deeply discharged must first be warmed prior to testing & charging.

Cold Battery Testing – Battery Temperature at Less Than 0°C (32°F)

When an automotive 12 Volt battery is cold, (below freezing) its capacity starts to reduce. This can be observed in the voltage level of the battery, as well as measured cold cranking amps. A cold battery is also resistant to charging. The colder the battery, the more these characteristics are affected.

Depending how cold a battery is, it can fail testing using any type of battery test equipment, including the EL-50313 (GR8).

Important: It is impossible to calculate the core temperature of a battery, so using external surface temperature is not reliable. Warm the battery a **minimum of 12 hours** prior to testing. Longer warming times will be needed depending how cold the battery is.

Note: Cold batteries are resistant to charging even when in use on the vehicle. They will not recover quickly in subfreezing temperatures. Releasing a new vehicle with a battery in a low state of charge puts the customer at risk to a no crank event.

Note: If you suspect that a battery may be frozen, inspect the case for cracks prior to charging. Do not charge a frozen battery.

Always warm a cold battery temperature to above **4°C (40°F)** prior to testing.

Vehicle	Engine	CCA (OEM)	MY 16 OEM Part Number	MY 17 OEM Part Number	MY 18 OEM Part Number	ACDelco Part Number	GM Part Number	CCA (Service)	Battery Type
Passenger Car									
ATS	All Engines	700	23423787	23423787	23423787	48AGM	88864541	760	AGM
	Performance RPO - Y4Q	560	88865429	88865429	88865429	LN1AGM	88865429	560	
ATS w/Stop Start	L4/Gas	730	23423786	23423786	23423786	94RAGM	88864542	900	AGM
Aveo	L4/Gas	510	94668768	94668768	94668768	86PS	88865255	590	Flooded
BOLT EV	ELECTRIC	520	-	42526125	-	LN1AGM	88865429	560	AGM
			-	-	42479943				
Camaro	L4, V6 & V8/Gas	700	23423787	23423787	23423787	48AGM	88864541	760	AGM
Cascada	LWC L4	760	13487590	13487590	13487590	94RAGM	88864542	800	AGM
City Express	L4/Gas	470	24410-ETB00B	24410-ETB00B	24410-ETB00B	121RPS	88865293	600	Flooded
Corvette	All Engines	615	22940819	22940819	22940819	48PS	88865244	615	Flooded
Cruze	L4/Diesel	720	22948859	22948859	22948859	94R/PG	88865934	800	Flooded
	L4/Gas	525	23214405	-	-	47PS	88865274	525	Flooded
		615	-	22940819	22940819	48PS	88865244	615	
Cruze w/ Stop Start	L4/Gas	730	23423786	23423786	23423786	94RAGM	88864542	900	AGM
CT6	LTG/LGW/LGX	850	23423785	23423785	23423785	49AGM	88864539	900	AGM
	LTG PHEV	730	-	23333166	23333166				
CTS Sedan (New Model - VIN A)	All Engines	730	23423786	23423786	23423786	94RAGM	88864542	850	AGM
ELR	L4/Gas	600	47P7YR	-	-	EVLN2	88865475	630	AGM
Impala (VIN 1)	L4 & V6/Gas	615	22940819	22940819	22940819	48PS	88865244	615	Flooded
Impala (VIN 1) w/Stop Start	LCV L4/Gas	730	23423786	23423786	23423786	94RAGM	88864542	850	AGM
		155	AUX	AUX	AUX	AUX	88864603	155	Stop/Start AGM
Impala Limited (VIN W)	V6/Gas	600	10360684	-	-	34PS	88865448	660	Flooded
LaCrosse	LUK L4/BAS+	525	23214405	-	-	47PS	88865274	525	Flooded
	LFX V6/Gas	615	22940819	-	-	48PS	88865244	615	
			-	-	22940819				
	LGX Gas	730	-	23423786	23423786	94RAGM	88864542	850	
Malibu (VIN Z)	LTG L4/Gas	660	23104180	23104180	23104180	48HPG	88865275	660	Flooded
Malibu (VIN Z) w/Stop Start	LFV L4/Gas	700	23423787	23423787	23423787	48AGM	88864541	760	AGM
Malibu (VIN Z) Hybrid	LKN L4/Gas Hybrid	525	23214405	23214405	23214405	47PS	88865274	525	Flooded

Vehicle	Engine	CCA (OEM)	MY 16 OEM Part Number	MY 17 OEM Part Number	MY 18 OEM Part Number	ACDelco Part Number	GM Part Number	CCA (Service)	Battery Type
Malibu Limited (VIN 1) & Malibu (VIN 1)	All Engines	525	23214405	-	-	47PS	88865274	525	Flooded
Malibu Limited (VIN 1) w/Stop Start & Malibu (VIN 1) w/Stop Start	LCV L4/Gas	730	23423786	-	-	94RAGM	88864542	850	AGM
		155	AUX12	-	-	AUX12	88864603	155	Stop/Start AGM
Malibu Limited (VIN 1) w/Stop Start & Malibu (VIN 1) w/Stop Start	LKW L4/Gas	850	23423785	-	-	49AGM	88864539	900	AGM
		155	AUX12	-	-	AUX12	88864603	155	Stop/Start AGM
Regal	LUK L4/BAS+	525	23214405	23214405	-	47PS	88865274	525	Flooded
	L4/Gas	615	22940819	22940819	-	48PS	88865244	615	
	LTG	730	-	-	23423786	94RAGM	88864542	850	AGM
	LGX		-	-					
Sonic	L4/Gas	525	23214405	23214405	23214405	47PS	88865274	525	Flooded
Spark	L4/Gas	410	94523672	94523672	94523672	LN1PS	88864528	450	Flooded
Spark EV	EV	520	95086464	-	-	LN1AGM	88865429	560	AGM
Chevrolet SS	V8/Gas	700	92270051	92270051	-	48AGM	88864541	760	AGM
Verano	All Engines	615	22940819	22940819	-	48PS	88865244	615	Flooded
Volt	L4/Gas	600	47P7YR	47P7YR	47P7YR	EVLN2	88865475	630	AGM
Pick Up									
Colorado/Canyon	L4 & V6/Gas	615	22940819	22940819	22940819	48PS	88865244	615	Flooded
	L4 Diesel	850	23423785	23423785	23423785	49AGM	88864539	900	AGM
Silverado/Sierra LD/HD Note: AUX battery is same as main battery	V8/Diesel-Silao	770	23104474	-	-	48PG	88865245	770	Flooded
	LML/L5P V8/Diesel			23104474	23104474				
	HD PU L96 V8 Gas	-	23423786	23423786	48AGM	88864541	760	AGM	
	V8/Gas/LC8/L8B/L83/L86	720	22948859	22948859	22948859	94R/PG	88865934	800	Flooded
	V6/Gas	770	23104474	23104474	23104474	48PG	88865245	770	
SUV									
Captiva Sport	L4/Gas	615	22940819	22940819	-	48PS	88865244	615	Flooded
	V6/Gas	660	23104180	23104180	-	48HPG	88865275	660	
Acadia/Enclave/Traverse (VIN R/N)	V6/Gas	660	23104180	23104180	-	48PGHR	88865786	670	Flooded

Vehicle	Engine	CCA (OEM)	MY 16 OEM Part Number	MY 17 OEM Part Number	MY 18 OEM Part Number	ACDelco Part Number	GM Part Number	CCA (Service)	Battery Type																																																																																																																																																																																																											
Traverse (VIN R/V) w/ Stop Start	LTG L4/Gas	730	-	-	23423786	94RAGM	88864542	850	AGM																																																																																																																																																																																																											
	LFY V6/Gas		-	-						Enclave (VIN R/V) w/ Stop Start	LFY V6/Gas	730	-	-	23423786	94RAGM	88864542	850	AGM	Acadia (VIN N)	LGX V6/Gas	660	-	23104180	23104180	48HPG	88865275	660	Flooded	Acadia (VIN N) w/Stop Start	LCV L4/Gas	730	-	23423786	23423786	94RAGM	88864542	850	AGM	Trax	L4/Gas	525	95388782	95388782	95388782	47PS	88865274	525	Flooded	Trax w/ Start/Stop	L4/Gas	700	-	23423787	23423787	48AGM	88864541	730	AGM	Encore	L4/Gas	525	95388782	95388782	95388782	47PS	88865274	525	Flooded	Encore w/ Stop Start	L4/Gas	760	42364318	42364318	42364318	48AGM	88864541	760	AGM	Envision w/ Stop Start	LFV/Gas	700	84057191	84057191	84057191	94RAGM	88864542	850	AGM	LTG/Gas	730	23264514	23333166	23333166	Equinox/ Terrain	LEA L4/Gas	525	23214405	23214405	-	47PS	88865274	525	Flooded	LFX V6/Gas	660	23104180	23104180	-	48HPG	88865275	660	Equinox	LTG	700	-	-	23423787	48AGM	88864541	760	AGM	LVL L4/ Diesel	-	-	LYX	525	-	-	23214405	47PS	88865274	525	Flooded	Equinox w/ Stop Start	LYX & KL9	700	-	-	84288994	48AGM	88864541	760	AGM	Terrain	LCV/ LGX/LTG	700	-	-	23423787	48AGM	88864541	760	AGM	Escalade/ Tahoe/ Suburban/ Yukon Note: AUX battery is same as main battery	LML/L5P V8/Diesel	770	23104474	23104474	23104474	48PG	88865245	770	Flooded	V8/Gas	660	-	-	-	48AGM	88863825	680	V8/Gas	720	22948859	22948859	22948859	94R/PG	88865934	800	HD L96 V8/Gas	770	-	23423786	-	48AGM	88864541	760	AGM	SRX	V6/Gas	660	23104180	23104180	-	48HPG	88865275	660	Flooded	XTS	V6/Gas	660	23104180	23104180	23104180	48HPG	88865275	660	Flooded	XT5 w/Stop Start	V6/Gas	730
Enclave (VIN R/V) w/ Stop Start	LFY V6/Gas	730	-	-	23423786	94RAGM	88864542	850	AGM																																																																																																																																																																																																											
Acadia (VIN N)	LGX V6/Gas	660	-	23104180	23104180	48HPG	88865275	660	Flooded																																																																																																																																																																																																											
Acadia (VIN N) w/Stop Start	LCV L4/Gas	730	-	23423786	23423786	94RAGM	88864542	850	AGM																																																																																																																																																																																																											
Trax	L4/Gas	525	95388782	95388782	95388782	47PS	88865274	525	Flooded																																																																																																																																																																																																											
Trax w/ Start/Stop	L4/Gas	700	-	23423787	23423787	48AGM	88864541	730	AGM																																																																																																																																																																																																											
Encore	L4/Gas	525	95388782	95388782	95388782	47PS	88865274	525	Flooded																																																																																																																																																																																																											
Encore w/ Stop Start	L4/Gas	760	42364318	42364318	42364318	48AGM	88864541	760	AGM																																																																																																																																																																																																											
Envision w/ Stop Start	LFV/Gas	700	84057191	84057191	84057191	94RAGM	88864542	850	AGM																																																																																																																																																																																																											
	LTG/Gas	730	23264514	23333166	23333166																																																																																																																																																																																																															
Equinox/ Terrain	LEA L4/Gas	525	23214405	23214405	-	47PS	88865274	525	Flooded																																																																																																																																																																																																											
	LFX V6/Gas	660	23104180	23104180	-	48HPG	88865275	660																																																																																																																																																																																																												
Equinox	LTG	700	-	-	23423787	48AGM	88864541	760	AGM																																																																																																																																																																																																											
	LVL L4/ Diesel		-	-																																																																																																																																																																																																																
	LYX	525	-	-	23214405	47PS	88865274	525	Flooded																																																																																																																																																																																																											
Equinox w/ Stop Start	LYX & KL9	700	-	-	84288994	48AGM	88864541	760	AGM																																																																																																																																																																																																											
Terrain	LCV/ LGX/LTG	700	-	-	23423787	48AGM	88864541	760	AGM																																																																																																																																																																																																											
Escalade/ Tahoe/ Suburban/ Yukon Note: AUX battery is same as main battery	LML/L5P V8/Diesel	770	23104474	23104474	23104474	48PG	88865245	770	Flooded																																																																																																																																																																																																											
	V8/Gas	660	-	-	-	48AGM	88863825	680																																																																																																																																																																																																												
	V8/Gas	720	22948859	22948859	22948859	94R/PG	88865934	800																																																																																																																																																																																																												
	HD L96 V8/Gas	770	-	23423786	-	48AGM	88864541	760	AGM																																																																																																																																																																																																											
SRX	V6/Gas	660	23104180	23104180	-	48HPG	88865275	660	Flooded																																																																																																																																																																																																											
XTS	V6/Gas	660	23104180	23104180	23104180	48HPG	88865275	660	Flooded																																																																																																																																																																																																											
XT5 w/Stop Start	V6/Gas	730	23423786	23423786	23423786	94RAGM	88864542	850	AGM																																																																																																																																																																																																											

Vehicle	Engine	CCA (OEM)	MY 16 OEM Part Number	MY 17 OEM Part Number	MY 18 OEM Part Number	ACDelco Part Number	GM Part Number	CCA (Service)	Battery Type
Van									
Express/ Savana Note: AUX battery is same as main battery	L4 LWN/ Diesel	770	-	25863585	25863585	78VPG	88861747	800	Flooded
	V8 LGH/ Diesel		25863585	25863585	25863585		88861747		
	V8/Gas w/ UA1 or YF2		-	25863585	25863585		88861747		
	V8/Gas w/ o UA1/YF2	600	25841893	25841893	25841893	78PS	88865249	700	
Police Package									
Caprice	V6/Gas	700	92270051	92270051	-	48AGM	88864541	760	AGM
	V6/ Gas AUX				-				
	V8/Gas				-				
	V8/ Gas AUX				-				
Impala	V6/Gas	720	10360685	-	-	34PG	88865242	750	Flooded
Medium Duty									
Low Cab Forward	6500 XD	750	-	-	89832- 18150	1110	1980498	750	Flooded
	3500/ 4500		89808- 40181	89808- 40181	-	1111	1981046		
	4500 HD/ XD - 5500 HD/XD		-	-	89832- 18150	1110	1980498		
	31-750		31-750	31-750	1111	1981046			

GM bulletins are intended for use by professional technicians, NOT a "do-it-yourselfer". They are written to inform these technicians of conditions that may occur on some vehicles, or to provide information that could assist in the proper service of a vehicle. Properly trained technicians have the equipment, tools, safety instructions, and know-how to do a job properly and safely. If a condition is described, DO NOT assume that the bulletin applies to your vehicle, or that your vehicle will have that condition. See your GM dealer for information on whether your vehicle may benefit from the information.



WE SUPPORT VOLUNTARY
TECHNICIAN
CERTIFICATION