



Special Tools Bulletin

TITLE:

Electric Vehicle and PHEV Battery Assemblies Lift Table

**NO:
229**

ISSUE DATE: 2018-07-27

STATUS DATE: 2018-07-27

**CAR MARKET:
United States and
Canada**

Page 1 of 3

“Right first time in Time”

VOLVO POWERTRAIN AND BATTERY LIFT TABLE

Product Type	Equipment
Product Category	EV Equipment NEW subcategory – Battery Removal
Product Number	16-GE-52200
Product Long Name	Powertrain Lift Table
Product Short name	Powertrain Lift Table
Supersedes	
Product Description	The OTC Powertrain Lift table is designed to safely aid the technician in removal and installation of electric vehicle and PHEV battery assemblies. The table fits conveniently between the 2 lift columns and raises to a maximum convenient working height of 72”. The wide base equipped with locking casters and wheels helps ensure stability unlike a typical transmission jack that has a narrow footprint.
Supplier	OTC

<http://volvodealersolutions.com/>

Orders placed through the Volvo Dealer Equipment program can be charged against the Retailer Parts Statement (U.S. Dealers only).

Service Personnel: Read and initial	SERVICE MANAGER	PARTS MANAGER	WORKSHOP FOREMAN	SERVICE TECHNICIANS									



Product Features	<p>Powertrain Lift Table Features:</p> <ul style="list-style-type: none"> • Resting Height of 21" (Portable work bench) • Max Height of 72" • 60/40 Split Top (Industry First) • Ground Clearance of 9.5" (Lift Crane Clearance)Ground Clearance of 9.5" (Lift Crane Clearance) • Air/Hydraulic Pump Std. Equipment – (Technician Ease of Use) • 1650 lb. Load Capacity • Product Weight: 670 lbs • 9.5" Floor Crane Clearance • Ability to separate engine from transmission on the table (sliding table) • Mobility • Robust handle for transporting around garage; quick attachment to either end of lift with quickrelease pins • 8" polyurethane 360 degree swivel casters with integrated foot butterfly locks to prevent accidental rolling and detent locks for directional movement control • Mechanical • Air/hydraulic operation • Foot Control Pump • Requires shop air quick connect fitting (not Included) • Pump storage compartment tray • Two-stage hydraulic cylinder design • Scissor lift actuation • ANSI/PASE compliant
Additional Features	
Technical fields	



40 / 60 Split Table



Air/Hydraulic Foot
Control Pump