



# SERVICE BULLETIN

Classification: EM19-001	Reference: NTB19-003	Date: January 16, 2019
-----------------------------	-------------------------	---------------------------


## 2016-2017 TITAN XD DIESEL; HIGH PRESSURE FUEL INJECTOR SUPPLY LINE TORQUE CHANGE

**APPLIED VEHICLES:** 2016-2017 Titan XD (A61)  
**APPLIED ENGINE:** Cummins 5.0L V8 Diesel

### SERVICE INFORMATION

For the Applied Vehicles, the high pressure fuel injector supply line nut torque specification listed in the Electronic Service Manual (ESM) has been revised.

Until the ESMs are updated, use the torque specification shown below.



- (1) = Injector supply line (high pressure)
- (A) = Fuel rail bolt
- (B) and (C) = Injector supply line nut

**CAUTION:**  
Do not reuse the injector supply lines (high-pressure).

**NOTE:**  
Bank 2 shown, Bank 1 similar.

Injector supply line nut (B)  
 Injector supply line nut (C)

Revised torque specification

: 40 N·m (4.1 kg-m, 30 ft-lb)  
 : 40 N·m (4.1 kg-m, 30 ft-lb)

Nissan Bulletins are intended for use by qualified technicians, not 'do-it-yourselfers'. Qualified technicians are properly trained individuals who have the equipment, tools, safety instruction, and know-how to do a job properly and safely. NOTE: If you believe that a described condition may apply to a particular vehicle, DO NOT assume that it does. See your Nissan dealer to determine if this applies to your vehicle.

## AMENDMENT HISTORY

PUBLISHED DATE	REFERENCE	DESCRIPTION
January 16, 2019	NTB19-003	Original bulletin published.

