

# Product Knowledge D13 Binder - PPK, Group 16-18 This bulletin replaces bulletin Group 16, #D13, dated 4-5-19.

Numerous acronyms and abbreviations are utilized in all facets of Porsche communications media. We have compiled this list to supply definitions for the acronyms unique to Porsche, as well as definitions for abbreviations common to the automotive industry. This list is therefore divided into two groups, both ordered alpha-numerically:

#### I. Porsche Acronyms

II. Common Automotive, Engineering, and Other Acronyms and Abbreviations used at Porsche

Please notify us where you see gaps or additional items needed for this list and email submissions to Alexandra. Dion@porsche.us

#### I. Porsche Acronyms

Acronym	Description
APO	.Advanced Planner and Optimizer
ASBD	.AfterSales Business Development
ASM	.Approval and Support Management Program
ASR	.Automatic Stock Replenishment
ATP	.Available to Promise
BMS	.Battery Management Supervisor
C-K	.Cramer-Krasselt (PCNA Agency of Record)
C@P	.CRM @ Porsche
CAA	.Customer Appreciation Award
CGT	.Carrera GT
CIF	.Core Interface
CP	.Porsche Customer Satisfaction Partnership Program (CP, CCP or PCSPP)
CPA	.Corporate Porsche Academy
CPO	.Certified Pre-Owned
CPT	.Certified Porsche Technician
DFE	.POLARIS Dealer Front End
DIL	.Dealer Information Link
DMSi	.Dealer Management System integration
DP	.Demand Planning
DR	· · · ·
DS	.Driver's Selection
DSA	.Dealer Self-Authorization
	.Electronic Dealer Communication Systems (Has been replaced by the PCNA Document Repository)
eAWS	.PDCC Sport Electromechanical Active Anti-roll System
FAP	.Fahrzeuganalyseprotokoll (VAL or "Vehicle Analysis Log" in English)
FES	.Location Key/Part ID (FES is a 5 digit part ID used in PQIS)
FIB	.FIB Process (Vehicle specific ordering process, in German means Fahrzeug-Individual-Bestell process)



## Product Knowledge

Acronym	Description
FRFT	Fixed Right First Time
GFF	Guided Fault Finding
GTS	Grand Touring Sport
ICC	Internet Car Configurator
IPAS	Intergrated Porsche Dealer Administrative System
IPL	International Porsche Locator (Pre-owned vehicle management)
ILT	. Instructor Led Training
ITSM	. IT Service Management
KESSY	Porsche Entry and Drive System (Keyless)
KPI	Key Performance Indicators
MCF	Manual Corrected Forecast
MCR	Maschinenlesbare Codierregel (In English means - Coding rule which is readable by machine)
MRP	Material Resource Planner
MTL	Mobile Technical Library
NVAP	New Vehicle Arrival Procedure
OPD	One Porsche Drive
PAA	Porsche Active Aerodynamics
PAB	Porsche AfterSales Documents -
PACC	Porsche Approved Collision Center
PADM	Porsche Active Drivetrain Mounts
PAG	Porsche Aktiengesellschaft (Porsche Corporation. Denotes the home office & manufacturer in Germany.)
PAH	Porsche Automobil Holding SE
PALMS	Porsche Academy Learning Management System
PAR	
PAS	Porsche Access System
PAS	Porsche Active Safe (Associated with ACC)
	Porsche Active Suspension Management (In German means Porsche Aktives Fahrwerk)
PAV	
	Porsche Business Services, Inc.
	Porsche Business Excellence
PCA	
PCC	
	Porsche Ceramic Composite Brake
	Porsche Ceramic Composite Clutch
PCL	·
	Porsche Communication Management (Newer versions are designated PCM2, PCM2.1, etc.)
	Porsche Cars North America
	. Porsche Connect Service Information
	Porsche Customer Satisfaction Partnership Program (CP, CCP or PCSPP)
	. Porsche Central Service System
PDCC	Porsche Dynamic Chassis Control (In German means Porsche Dynamische Fahrwerksregelung)



# Product Knowledge All D13

Acronym	Description
PDDS	Porsche Design Drivers Selection
PDK	Porsche Doppelkupplung
PDIL	Porsche Dealer Information Link
PDLS	Porsche Dynamic Light System
PDMS	Porsche Dealer Marketing Services (Systems)
PDMS	Porsche Document Management System
PDOA	Porsche Drive Off Assistant
PDX	Porsche Delivery Express
PEC	Porsche Experience Center
PECT	Porsche Electrician Coordinator Tool
PEG	Porsche Engineering Group
PES	Porsche Engineering Services
PET	Porsche Electronic Parts Catalog
PFS	Porsche Financial Services
PGAT	Porsche Goodwill Assistance Tool
PGCS	Porsche Global Certification System
PHC	Porsche Hill Control
PHCM	Porsche Hybrid Clutch Management
PIA	Porsche Integrierts Auftragsmanagement System (In English - Porsche Integrated Management System)
PID	Porsche InnoDrive
PIKS	Porsche Informations Kommunikations Services
PIP	Porsche Intelligent Performance
PiRS	Porsche intelligent Repair Solutions
PIRS	Porsche Intelligent Repair Solutions
PiUS	Porsche integrated Update Service
PIWIS	Porsche Intergrated Workshop Information System
PLA	Porsche Latin America
PLAB	Porsche Label Request
PLH	Porsche Licensing (In German - Porsche Lizenz und Handelsgesellshaft mbh & CO. KG)
PLS	-
PMB	Porsche Matrix Beam
PMNA	Porsche Motorsport North America
PMP	Porsche Mobility Program
PODS	Porsche Occupant Detection System
POLARIS	. Porsche Logistics And Replenishment International System
POP	Porsche Online Pro
POSES	Porsche Service System (Replaced by PIWIS)
	Porsche Side-Impact Protection System
PP24	Porsche-Parts 24
	Production Plan and Detailed Scheduling
PPF	Parts Permanent Factor



## Product Knowledge

Acronym	Description
PPK	Porsche Product Knowledge Bulletins
PPN	Porsche Partnership Network
PPO	Porsche Procurement Office
PPO	Porsche Process Optimization
PPR	Porsche Passion Report
PPS	Parts Picking, Packing and Shipping Request
PPSA	Porsche Public Service Announcement
PQIS	Porsche Quality Information System
PQMS	Porsche Quality Monitoring System
PRAP	Porsche Roadside Assistance Program
PRM	Porsche Recuperation Management
PRMS	Porsche Request Management System
PSA	Porsche Service Analysis
PSCB	Porsche Surface Coated Brake
PSDR	Porsche Service Dealer Review
PSDS	Porsche Sport Driving School
PSM	Porsche Stability Management (In German means Porsche Stabilitätskontrolle)
PSMP	Porsche Scheduled Maintenance Plan
PST2	Porsche System Tester (Replaced by PIWIS Tester)
PSTE	Porsche Special Tools & Equipment
PT3G	PIWIS Tester III
PTAP	Porsche Technology Apprenticeship Program
PTAR	Parts Technical Assistance Request
PTC	. Porsche Travel Club
PTEC	. Porsche Technical Electronic Communication
PTM	. Porsche Traction Management (Also listed in various publications as Porsche Torque Management)
PTP	. Porsche Traffic Pro Radio
PTS	. Porsche Travel Services
PTS	. Porsche Travel System
PTV	
PVA	. Porsche Vehicle Assistant
PVMS	. Porsche Sales and Vehicle Management System
PVP	. Porsche Improvement Process (In German - Porsche Verbesserungs Prozess)
PVTS	. Porsche Vehicle Tracking System
	. PTEC Warranty Assistance Request
	. Porsche Wholesale Connection
RDR	
	. Reverse Logistics Relevant StockRSC Roadside Complaint/Damage Notification
	Service Communication Council
SCP	
SIT	Service Information Technik (New Model Technical Introduction Books)



## Product Knowledge Product Knowledge 16

Acronym	Description
SNP	Supply Network Planning
SOC	Service Operations Center
SSN	Single Sign On (Used in PPN)
SSO	Single Sign On
STO	Stock Order
STR	Special Tool Request
TAV	. Tire Availability Request
TCC	Technical Competence Center
TLAR	. Techline Assistance Request
TLB	. Transport Load Builder
VAL	Vehicle Analysis Log
VOR	Vehicle Off Road
VMI	Vendor Managed Inventory
VMS	Vehicle Management System
VWXP	. Porsche Crossover Part Lookup
WBT	Web Based Training
WEST	Workshop Equipment & Special Tool Manual
WET	Werbemittel Teiledienst (Parts Reference Literature)
	Werbemittel Kundendienst (Service Repair Literature)
WWS	Worldwide Warranty System
ZPT	Zertifizierter Techniker Programme (In English means Certified Technician Program CPT)



## Product Knowledge

#### II. Common Automotive, Engineering, and Other Acronyms and Abbreviations used at Porsche

Acronym	Description
A	Amperes
A/F	Air/Fuel
AAM	Area AfterSales Manager
ABD	Automatic Brake Distribution
ABS	Anti-lock Braking System
AC	
AC	Alternating Current
ACC	Adaptive Cruise Control
ACF	. Active Charcoal Filter
	Automatic Distance Control - RoW definition for ACC
ADM	
	Automatic Data Processing, Inc.
	Alternative Dispute Resolution
	. Anzeige Domäne Rechner ("Multimedia Control Unit" in English) - 918 Spyder Only
	. Adaptive Forward Lighting (In German means Automatische Fahrlicht Steuerung)
	Absorbed Glass Mat Battery Technology
	. Amp Hour (Battery Capacity Measurement)
	. Automatic Headlight Calibration
	Trailer Hitch (In German means Anhängerkupplung)
AIR	
	Automatic Locking Retractor (Seatbelts)
ALT	
	Self -levelling Headlamp system (In German means Automatische Leuchtweitenregulierung)
	Amplication Modulation (Radio Communication)
AM	
	Advance Marketing Solutions
API	American Petroleum Institute
	Air Quality Sensor (In German means Luftgutesensor)
ARA	-
	Automotive Service Excellence
	Transport Canada, Road Safety (Canada)
	Aftersales Satisfaction Index
	Automatic Stock Replenishment
ASR	·
AT	
ATDC	
	Automatic Transmission Fluid
	. Auxiliary Signal Input For External Device
AV	

May 7, 2019 Page 6 of 21



All **D13** 

16

Acronym	Description
AWD	.All Wheel Drive
AWS	.Automatic Weight Sensing
B	.Battery Negative Voltage
B+	.Battery Positive Voltage
BAR	.Atmospheric Pressure
BBP	.Best Business Practice (PCNA Source)
BCM_F	.Body Control Module Front
BCM_R	.Body Control Module Rear
BDS	.Battery Disconnect Switch
bhp	.Brake Horsepower
BKE	.AC Control Unit (In German means Bedien Klima Einheit)
BMC	.Battery Control Module
BMS	.Battery Monitoring Sensor (In German means Batteriesensor)
BMS	.Battery Management System
BSI	.Bit Synchronous Interface
BSS	.Bit Synchronous Single-Wire Technology
BTDC	.Before Top Dead Center
BTU	.British Thermal Units (Unit of Energy)
BU	.Backup
BUS	.An electrical conductor that serves as a common connection
C	.Celsius (Temperature)
CAC	.Charge Air Cooler
CAD	.Canadian Dollar
CAFE	.Corporate Average Fuel Economy
Cal ID	.Calibration Indentification (EPA)
CAN	.Controller Area Network (Communications)
CARB	.California Air Resources Board
	.Catalytic Converter (Emissions)
CBA	.Camera Based Assistance
CBM	.Constant Brake Mode
cc	
CC	
	.Cold Cranking Amps (Battery Capacity Measurement)
	.Porsche Customer Satisfaction Partnership Program (CP, CCP or PCSPP)
CCU	·
CD	
cd	
CDR	
CDT	• •
CE	
CE Idle	.Combustion Engine Idle



## Product Knowledge

Acronym	Description
CEA	.Centrifugal Electro-hydraulic Actuator
CEO	.Chief Executive Officer
CFC	.Chlorofluorocarbons
CFM	.Cubic Feet per Minute
CFO	.Chief Financial Officer
CFRP	.Carbon Fiber-Reinforced Polymer
CGI	.Compacted Graphite Iron
cGW	.Connected Gateway
CI	.Corporate Identity
CID	.Cubic Inch Displacement
CIS	.Continous Injection System
CL	.Closed Loop
cm	.Centimeter
CO	.Carbon Monoxide
CO2	.Carbon Dioxide
COA	.Certificate of Authenticity
COB	.Close of Business
CoO	.Cost of Ownership
COO	.Chief Operating Officer
COS	.Cost Of Sales
CP	.Control Pilot
CPO	.Certified Pre-Owned
CR	.Cassette Radio
CRC	.Cyclic Redundancy Code
CRDL	.Controlled Rear Differential Lock
CRI	.Color Rendering Index
CRM	.Customer Relationship Management
CRS	.Customer Service Representative
CS	.Crankshaft
CSA	.Canadian Standards Associations
CSC	.Concentric Slave Cylinder
CSI	$. Customer\ Satisfaction\ Index\ (J.D.\ Power\ and\ Associates\ Survey)$
CSS	.Compressor Soft Start
CST	.Central Standard Time (Also see CT)
CT	.Central Time
CTCL	.Convertible Top Compartment Lid
cu ft	.Cubic Feet (Volume Measurement)
CU	.Control Unit
	.Calibration Verification Number (CARB)
CY	
Cyl	.Cylinder

May	7,	20	119
D	. 0		01



All **D13** 

16

Acronym	Description
DAB	Digital Audio Broadcasting
	. Decibels (Noise Measurement)
DC	Damage Code
DC	Direct Current
DC/DC	Vehicle Voltage Stabilizer
DCU	Display & Control Unit
DDC	Driving Dynamics Control
DFI	Direct Fuel Injection
DFM	Dynamo Field Monitor
DID	Design Intent Document
DIN	German Equivalent of USA SAE Weights and Measurement Standards (Deutsches Institut Fuer Normung)
DIP	Dual Inline Package Switch (DIP Switch)
DLC	Diamond-like Carbon (Used in piston rings)
DM	Direct Mail
DMB-T	Digital Multimedia Broadcasting - Terrestrial
DMC	Data Matrix Code
DME	Digital Motor Electronics
DMF	Dual Mass Flywheel
DMS	Dealer Management System
DMTL	Diagnostics Module - Tank Leakage (Emissions)
DOG	Dealer Order Guide
DOHC	Dual Overhead Camshafts
DOS	Dealer Operating System
DOT	Department Of Tranportation (USA)
DPF	Diesel Particulate Filter
DTMF	Dual Tone Multi Frequency
DTS	
DVD	Digital Versatile Disc
e.g	·
eAWS	PDCC Sport Electromechanical Active Anti-roll System
EBB	Electric Brake Booster
EC	Engine Control
ECM	Engine Control Module
ECO	-
	Electronic Chassis Platform
ECS	
	Cylinder Head Temperature Sensor
ECU	
	Electronic Control Unit for Transmission
	Engine Drag-torque Control (Also EDTC or MSR in German)
EDS	Electric Pressure Control Valve



May 7, 2019

Page 10 of 21

## Product Knowledge

#### II. Common Automotive, Engineering, and Other Acronyms and Abbreviations used at Porsche (cont'd)

Acronym	Description
EDT	.Eastern Daylight Time
EDTC	.Engine Drag-torque Control (Also EDC or MSR in German)
eEM	.Electric Energy Management
e-gas	.Electronic Throttle
EGR	.Exhaust Gas Recirculation
EIL	.Electronic Ignition Lock
eip	.Electrically instructed person
ELV	.Electronic Steering Locking Device (In German means Elektronische Lenksäulen Verriegelung)
EM	.Electric Machine
EMC	.Electro Magnetic Compatibility
EOD	.End of Day
EPA	.Environmental Protection Agency (USA Emissions)
EPB	.Electronic Park Brake (In German means Elektrische Park Bremse)
EPROM	.Erasable Programmable Read Only Memory
EPS	.Electomechanical Power Steering
ePTM	.Electric Porsche Traction Management
ERL	.Energy Requirement Level (Energy Efficiency Measurement)
ESCA	.Electrical Steering Column Adjustment
ESCL	.Electric Steering Column Lock
ESD	.Electro-Static Discharge
ESL	.Electromechanical Steering Lock
ESP	.Electrically Skilled Person
EST	.Eastern Standard Time (Also see ET)
ET	.Eastern Time
ET	.Elapse Time
ET	.E-Throttle
ETA	.Estimated Time of Arrival
EU	.European Union
EU4	.European Emission Standards (Emissions)
EVAP	.Evaporative Emission System (Emissions)
EVLS	.Electronic Adjustable Steering (In German means Elektronisch Verstellbare Lenksäule)
EVSE	.Electric Vehicle Supply Equipment
EZS	.Electronic Ignition Switch In German means Elektronisches Zundschloß)
F	.Fahrenheit (Temperature)
FA	.Front Axle (In German - Vorderackse)
FCWP	.Forward Collision Warning for Pedestrians
FDR	.Handling Dymanic Control
FEE	.Front-End Electronics
FELV	.Functional Extra-Low Voltage
FES5	.Camshaft
FFB	.Remote Key
FLA	.High Beam Assist (In German means Fern Licht Assistent)

**AfterSales** 



All **D13** 

16

Acronym	Description
FLVV	. Fill Limit Ventilation Valve
FM	. Frequency Modulation (Radio Communication)
	Federal Motor Vehicle Safety Standard (USA)
FOB	•
FOT	<del>-</del>
FR	•
FR	
	Footpound (Torque measurement)
FTIV	
FTM	
Gal	-
GAWR	Gross Axle Weight Rating
GB	
	Gulf Coast America (Houston, Texas Port)
GEN	Generator
GIM	Global Inventory Management
	Continous Headlight Range Control
GM	
GMA	Gas Metal Arc
GNC	Gas Nitro Carbonizing
GND	-
GP	Gross Profit
GPF	Gasoline Particulate Filter (In German it is Petrol Particulate Filter PPF)
GPS	Global Positioning System
g	
gr	Gram
GT	Grand Tourisimo
GVWR	Gross Vehicle Weight Rating
H20	Water
Н	Rear (In German Hinten means Rear)
HA	Hinterackse (In English means - Rear Axle)
HAL	Hintenackselenkung (In English means - Rear Axle Steering)
HBA	Headlight Beam Adjustment
HC	Hydrocarbon
HCUT	Hydraulic Control Unit for Transmission
HF	Hydrogen Fluoride
HFM	Hot Film Mass Airflow Sensor
HFP	Hands Free Profile
HMI	Human/Machine Interface
HOC	Hang-on Clutch (Transfer Case)
HP	Horsepower
HSA	Hill Start Assist



## Product Knowledge

	, 5
Acronym	Description
HSB	.Main Fusebox (In German means Hauptsicherungsbox)
HPHB	.High-Performance Hybrid Brake System
HSI	
HT	.High Temperature
HTD	.Heavy Torque Drive
HUD	.Head-Up Display
HV	.High Voltage
HVAC	.Heating, Ventilation and Air Conditioning System
HVB	.High Voltage Battery
HVC	.Hydraulic Valve Clearance
HVE	.High Voltage Expert
HV-EM	.High-Voltage Energy Management
HVIL	.High-Voltage Interlock
HVV	.High Voltage Vehicle
HVT	.High Voltage Technician
HWE	.Rear End Electronic)
HWS	.Headlight Washer System
Hz	.Hertz (Cycle per second electric frequency measurement)
IAC	.Idle Air Control
IACV	.Idle Air Control Valve
IAGK	.Integrated Exhaust Manifold
IAT	.Intake Alr Temperature
ICAC	.Indirect Charge Air-Cooler
ID	.Inside Diameter
ID	.ldentification
IE	.Internet Explorer (Microsoft)
IFC	.Infinite Fan Control (Engine Cooling)
IGBT	.Insulated-Gate Bipolar Transistor
IGN	.lgnition
IHE	.Internal Heat Exchanger
ILT	.Instructor Led Training
INC	.Integrated Inclination Sensor
IPCU	.Image Processing Control Unit
IRF	.Independent Repair Facility
ISO	.International Standards Organization
ISP	.Intelligent Shift Program
IT	.Information Technology
JPEG	.Joint Photographic Experts Group
KBA	.Camera Based Assistant Function
KERS	.Kinectic Energy Recovery System
kg	.Kilogram
kg/h	.Kilogram per Hour (Volume Flow Measurement)



All **D13** 

16

Acronym	Description
KL	Leatherette - Imitation Leather (KL in commonly used in the parts catalogs)
KLSM	Steering Column Switch Modul (In German means Kombi Lenkstockmodul)
km	Kilometer
km/h (kmh)	Kilometers Per Hour (Speed Measurement, can also be kmph or kph)
kmph	Kilometers Per Hour (Speed Measurement, can also be km/h or kph)
kp	Kilopond = kilogram
kPa	Kilopascal
kph	Kilometers Per Hour (Speed Measurement, can also be km/h or kmph)
KPI	Key Performance Indicator (Service Management)
KPI	Kingpin Inclination
KS	Knock Sensor
KS	Komponente Sicherheit (In English means "Component Security")
KW	Kurbelwelle (In English means- Crankshaft)
kW	
KWP	
L	. Leather - Leather (L in commonly used in the parts catalogs)
I	Liter
L	Left
LAN	Local Area Network
lb	
LCA	-
	Leak Diagnosis Pump (Emissions)
	Rotary Light Switch (In German means Lichtdrehschalter)
LDW	·
LED	
LEIMO	
	USA Emission Standards (Low Emissions Vehicle)
LFpM	•
LGI	
LH	
	Left Hand Drive (In German - Linkslenker)
Li-ion	
	Local Interconnect Network
LKA	
LKS	
	Linkslenker (In English - Left Hand Drive)
LO	
LRF	-
LRP	
LRS	
=	L=Lighweight, S=Stable, A=Agile
L9L	Oxygen Sensor - After Catalytic Converter (In German means Luft Sensing Flat planar type)



## Product Knowledge

#### II. Common Automotive, Engineering, and Other Acronyms and Abbreviations used at Porsche (cont'd)

Acronym	Description
LSG	Laminated Safety Glass
LSU	Oxygen Sensor - Before Catalytic Converter (In German means Luft Sensing Universal wide band)
LT	Low Temperature
LTE	LongTerm Evolution (Term used in wireless internet access)
LV-EM	Low-Voltage Energy Management
LVDS	Low Voltage Differential Signal
LWS	Steering Angle Sensor (In German means Lenk Winkel Sensor)
MAF	Mass Airflow Sensor
MAP	Message Access Profile
MB	Megabyte
mbar	Millibar (Pressure Measurement)
MBTU	Million British Thermal Units
MDT	Mountain Daylight Time
ME	
MECOSA	Mechanically Converted Shift Actuator
MFB	
	Multi Functional Steering Wheel (In German means Multi Funktions Lenkrad)
	Megahertz (One Million Cycles per second electric frequency measurement)
=	Modeljahr (In english - Model Year)
MI	
	Malfunction Indicator Light (Check Engine light)
	German acronym for Multi-collision Brake
ml	
	Modular Longitudinal Matrix (VW Group platform term)
mm	
MMI	
	Mobile Online Services (In German means Mobile Online Dienste)
	Motor Octane Number (Fuel Octane Rating)
MOS	
	Media Oriented System Transport (Communications)
	. Maintenance of Vehicle Data
mpg	
mph	
MPI	,
MRF	
	. Millisecond (Time Measurement)
	. Material Safety Data Sheet
	. Multifunction Sensor Light
	Manual Steering Column Adjustment
	. Engine Drag-torque Control (Also EDC or EDTC)
	Mountain Standard Time (Also see MT)
MT	Mountain Time

May 7, 2019 Page 14 of 21



All **D13** 

16

II. Collinion Automotiv	rc, Engineering, and other Acronymis and Abbreviations used at 1 t
Acronym	Description
MT	.Manual Transmission
MTL	.Mobile Technical Library
MTP	.Media Transfer Protocol
MU	.Material Units
mV	.Millivolt
MY	.Model Year (In German - Modeljahr)
NA	.Not Applicable
NA	.North America
NACA	.National Advisory Committee for Aeronautics
NAR	.North American Region
NEA	.Northeast America (Baltimore, Maryland Port)
NEDC	.New European Driving Cycle
NEFZ	.The German acroynm for Neuer Europäuscher Fahr Zykles (English acroynm is NEDC)
NHTSA	.National Highway Traffic Safety Administration (USA)
NLA	.No Longer Available
nm	.Nanometers
Nm	.Newton Meters (Torque measurement)
NML	.No Longer Available
NOX	.Oxides of Nitrogen
NTC	.Negative Temperature Coefficient
NTCI	.Intake Air Temperature Sensor
NTCII	.Engine Coolant Temperature Sensor
NTF	.No Trouble Found
NV	.Night Vision
NVH	.Noise, Vibration & Harshness
NVLD	.Natural Vacuum Leak Detection
NVS	_
	.Top (In German Oben means Top)
OAU	.Operating Air-conditioning Unit
OBC	.On-Board Computer
OBD	.On-Board Diagnostics (Later version OBD II)
OD	.Outside Diameter
OE	Original Equipment
OEM	Original Equipment Manufacturer
OM	.Owner's Manual
0Q	·
	.Off-Road Stability (Off-road anti-roll bar)
ORVR	.On-board Refueling Vapor Recovery
OS2	
OSC	
OTC	.Over The Counter
oz	.Ounce



## Product Knowledge

#### II. Common Automotive, Engineering, and Other Acronyms and Abbreviations used at Porsche (cont'd)

Acronym	Description
p	Pressure
•	Prior Approval (PDMS related)
PAO	
PB	
PC	Printed Circuit
PCV	Positive Crankcase Ventilation
PCV	Pressure Control Valve
PDC	Parts Distribution Center
PDC	Park Distance Control (In German means Parkassistent)
PDF	Portable Document File (Adobe Systems)
PDI	Pre-Delivery Inspection
PDT	Pacific Daylight Time
PE	Protective Earth
PEN	Protective Earth Neutral
PFC	Power Factor Corrector
PHEV	Plug-in Hybrid Electric Vehicle
PID	Parts ID
PIN	Personal Identification Number
PLCD	. Permanent Magnetic Linear Contactless Displacement Sensor
PLG	Power Lift Tailgate
plsol	Turbocharger boost pressure in mbar
PM	Parts Manager
PN	Part Number
PNCS	Pirelli Noise Cancelling System
POD	Print On Demand
POE	Program of Events
POI	. Point of Interest
PP	Proximity Pilot
PPD	Passenger Presence Detector
PPE	Personal Protective Equipment
PPF	See GPF
PPM	Parts Per Million
PR	Public Relations
PROM	Program Read Only Memory
PRS	Panoramic Roof System
PS	Parts Specialist
PS	. Power Steering
PSG	Pressure Sensor Glow Plug
PSI	Pounds per Square Inch (Pressure Measurement)
PSI	Purchase Satisfaction Index
PSS	Purchase Satisfaction Survey
PST	Pacific Standard Time (Also see PT)

May 7, 2019 Page 16 of 21



All **D13** 

16

#### II. Common Automotive, Engineering, and Other Acronyms and Abbreviations used at Porsche (cont'd)

Acronym	Description
pt	Pint
PT	Pacific Time
PTC	Positive Temperature Coefficient
PTL	Peak Torque Limiter
PTS	Pedal Travel Sensor
PTWA	Plasma Transfer Wire Arc
PU	Polyurethane
PULS	Packaged Ultrasonic Level Sensor
PVB	Polyvinyl Butyral
PVC	Polyvinyl Chloride
PW	Password
PWR	Pulse Inverter
PWM	Pulse Width Modulated
q p	Quantity
QR	
QT	
QVGA	Quarter Video Graphics Array
R	
	Rear Axle (In German - Hinterackse)
RAM	•
RAS	
	Regional AfterSales Manager (Also RAM)
RC	
	Reifendrückkontrolle (German acronym is RDK, TPM is English)
	Reste der Welt (German meaning and not for USA) (or English meaning ROW - Rest of the World)
REE	
RF	
RF	
RF	
RFC	·
	Backview Camera (In German means Ruckfahr Kamera)
RH	
	. Right Hand Drive (In German - Rechtslenker)
	Rechtslenker (In English - Right Hand Drive)
RLFS	Rain Light Humidity Sensor (In German means Regen Licht Feuchtesensor)
RLS	
RM	
RM	
RO	·
	. Research Octane Number (Fuel Octane Rating)
ROV	
ΝΟν	Null-Over valve

May 7, 2019

Page 17 of 21



## Product Knowledge

#### II. Common Automotive, Engineering, and Other Acronyms and Abbreviations used at Porsche (cont'd)

ii. Common Actomotive, Engineering, and Other Actoryms and Abbrevi		
Acronym	Description	
ROW	Rest of the World (Not USA) (In German RDW - Reste der Welt)	
RPM		
RSS	Radio Station System	
	Resin Transfer Molding Process	
RTP	Retail Target Plan	
RTS	. Roof Transport System (Roof Rack)	
RTTI	Real Time Traffic Information	
RTV	Real Top View	
RWD	Rear Wheel Drive	
SA4	Severe Wear	
SA	Service Advisor	
SA	Service Action (Now called Workshop Campaign)	
SAD	Sliding Lift Roof (In German means Schiebe Ausstell Dach)	
SAE	. Society of Automotive Engineers	
SAFE	Sales Funnel Excellence (Sales lead management)	
SAI	. Steering Axis Inclination	
SAS	Steering Angle Sensor	
SBS	Snap-on Business Solutions	
SCR	. Selective Catalytic Reduction	
SDAR	Satellite Digital Audio Radio Service	
SDARS	Satellite Digital Audio Radio Service (XMRadio)	
SEA	Southeast America (Brunswick, Georgia Port)	
SELV	Safety Extra-Low Voltage	
SENT	. Single Edge Nibble Transmission	
SIR	Supplemental Inflatable Restraint (Airbag)	
SM	_	
SM	_	
	Sales, Marketing, and Aftersales Reporting Tool	
SMC	·	
SML	_	
SMS	Short Message Service	
SoC		
SOC		
SOC		
SOH		
	Single Overhead Camshafts	
SOP		
	Supplemental Restraint System (Airbag)	
SS		
SSI		
SSI		
SSID	Service Set IDentifier	

May 7, 2019 Page 18 of 21



All **D13** 

16

Acronym	Description
SSP	Satellite Service Provider
SSS	Service Satisfaction Survey
STH	Park Heating (In German means Stand Heizung)
SUV	Sport Utility Vehicle
SWA	Lane Change Assist (In German means Spur Wechsel Assistent)
SWSG	Headlight Control Unit ((In German means Scheinwerfersteuergerät)
t	time
TB	-
TBA	To Be Announced
TBD	
TBI	
TC	Traction Control
TC	-
TDC	·
	Technical Evaluation (Used in PQIS)
TE	Transmission Electronics
TFT	
	. Technical Information Bulletin
TIF	
TJA	
TM	
	. Thermanl Managemant Electric Drives
TMF	
TOC	
	. Tire Pressure Monitoring System (German acronym is RDK, Reifendrückkontrolle)
	Two-State Modulation Switching Amplifier (Sound System)
	Trailer Stability Management
TSP	
TU	
	Technical Inspection Association (In German means Technischer Überwachungs Verein)
TVV	
TWC	
	Bottom (In German Unten means Bottom)
	Standard Audio Interface (Universal Audio Interface)
	ls German acronym for Manufacturer Certificate of Compliance
	Universal Garage Door Opener
	Ultra High Performance Tire
USB	
USD	Ultra Low Emissions Vehicle
ULSD	
UV	Uitia violet kadiation



## Product Knowledge

Acronym	Description
V	Front (In German Vorn means Front)
V	Voltage
VA	Vorderackse (In English - Front Axle)
VC	Vehicle Code
VC	VarioCam
VCI	Vehicle Communication Module
VCP	VarioCam Plus
VDE	. Association of German Electrical Engineers
VECI	Vehicle Emission Control Information
VES	Vehicle Electrical System
VESCM	Vehicle Electrical System, Control Module
VHF	Very High Frequency (Radio Communication)
VIN	Vehicle Identification Number
VIP	Virtual Pedal
VM	Voice Mail
VOC	Volatile Organic Compounds
VOR	Vehicle Off Road (Or Vehicle On Rack)
VPN	Virtual Private Network
VR	Variable Intake Manifold Tuning System
VRLA	Valve Regulated Lead Acid Battery
VRU	Voice Response System
VTG	Variable Turbine Geometry
VTS	Vehicle Tracking System (In German means Fahrzeug verfolgungs System)
VVS	Camshaft Lift
VWE	. Front End Electronics Control Unit (In German - Vorderwagenelektronik)
VZA	. Traffic Sign View
VZE	. Traffic Sign Detection
VZO	. Traffic Sign Online
W	Watts
WAP	Wire Application Protocol
	Wind Deflector (In German means Wind Ab Weiser)
WD	Wiring Diagrams
WE	
WLAN	Wireless Local Area Network
WM	•
	<b>W</b> eg <b>f</b> ahr <b>s</b> perre (Drive away blocking system a.k.a. Immobilizer system))
WVGA	
	Electronic Ignition Start Button
	Central Driving Assistance Control Unit
ZZH	Closing aid for doors (In German means Zu Zieh Hilfe)



Product Knowledge All 16

Dr. Ing. h.c. F. Porsche AG is the owner of numerous trademarks, both registered and unregistered, including without limitation the Porsche Crest®, Porsche®, Boxster®, Carrera®, Cayrena®, Macan®, Panamera®, Speedster®, Spyder®, Fiptronic®, VarioCam®, PCM®, PDK®, 911®, RS®, 4S®, 718®, 918 Spyder®, FOUR UNCOMPROMISED®, and the model numbers and distinctive shapes of the Porsche automobiles such as, the federally registered 911 and Boxster automobiles. The third party trademarks contained herein are the properties of their respective owners. Porsche Cars North America, Inc. believes the specifications to be correct at the time of printing. However, specifications, standard equipment and options are subject to change without notice. Some options may be unavailable when a car is built. Some vehicles may be shown with non-U.S. equipment. Please ask your authorized Porsche dealer for advice concerning the current availability of options and verify the optional equipment that you ordered. Porsche recommends seat belt usage and observance of traffic laws at all times.