

# Technical Service Bulletin

SUBJECT:			No:	TSB-20-00-004
UPDATES T	DATE:	April 2020		
GENERA	MODE	L: 2019 Outlander PHEV		
CIRCULATE TO:	[ ] GENERAL MANAGER	[ ] PARTS MANAGER		[X] TECHNICIAN
[X] SERVICE ADVISOR	[X] SERVICE MANAGER	[X] WARRANTY PROCESSO	)R	[ ] SALES MANAGER

#### **PURPOSE**

This TSB updates the General section of the affected Service Manuals, to correct general data and specifications for vehicles from U.S. and Mexico.

#### **AFFECTED VEHICLES**

• 2019 Outlander PHEV

#### AFFECTED SERVICE MANUAL

2019 Outlander PHEV Service Manual, Group 00-General




Please make the indicated changes to the 2019 Outlander PHEV Service Manual, Group 00-General -> General Data and Specifications.


### **GENERAL DATA AND SPECIFICATIONS**

M1001000911381

#### **VEHICLES FOR USA**



## **VEHICLES FOR MEXICO**



Item				GG2W		
				XDHHZLCS		
Vehicle Front track		1	1,540 (60.6)			
dimension mm (in)	Overall width		2	1,800 (70.9)		
	Front overhang		3	990 (39.0)		
	Wheelbase		4	2,670 (105.1)		
	Rear overhang		5	1,035 (40.7)		
	Overall length		6	4,695 (184.8)		
	Ground clearance (unladen)		7	215-(8-5) <incorrect></incorrect>		
	Overall height (unladen)		8	1,710 (67.3)		
	Rear track		9	1,540 (60.6)		
Vehicle weight kg (lb)	Curb weight	Without full optional pa	arts	1,885 (4,156)		
		With full optional parts		1,955 (4,310)		
	Gross vehicle weight			2,370 (5,225)		
	Gross axle weight rating-front			1,160 (2,557)		
	Gross axle weight rating-rear			1,270 (2,800)		
	Gross combination weight			2,982 (6,574)		
Seating capacity			5			
Engine	Model code			4B11		
	Туре			DOHC MIVEC petrol engine		
	Total displacement cm <sup>3</sup> (cu in)			1,998 (121.9)		
	Maximum output kW/r/min (HP/r/min)			87/4,500 (117/4,500)		
	Maximum torque N·m/r/min (ft-lb/r/min)			186/4,500 (137/4,500)		