

2021

A5/S5/RS 5

Audi Pre-Delivery Inspection

Stock No.	Dealer Number	R.O. No.	
VIN Road test mileage out		Road test mileage in	
Reminders			
► All items must be completed prior t	to customer delivery by a cer	tified Audi technician	
		event excessive battery discharge during inspection	
 Guided Fault Finding must be used, 			
	·	ring the scan tool (special function tab -> Total PDI Test)	
	-	ontrol modules in transport mode are identified	
_		rence Document posted on ServiceNet for additional information	
► For items marked with **, follow in		•	
Vehicle Preparation		Interior	
☐ Check Elsa for open campaigns and u	pdates	☐ Verify operation of all seat belts and latches	
☐ Verify Audi phone box customer reg	gistration form is present	☐ Check operation of window, lock, and seat controls*	
in vehicle and add the serial number		☐ Inspect mirrors for proper operation*	
Model (if equipped). See TSB 2051720		☐ Check rear view mirror operation*	
☐ Perform any open campaigns*☐ Perform diagnostic work*☐ Install front license plate carrier (if necessary)*		☐ Verify operation of all interior lights	
		☐ Verify operation of heated seats	
		☐ Verify operation of heated rear seats (if equipped)	
Exterior		☐ Verify operation of ventilated seats (if equipped)	
☐ Check all key buttons and features*	+	☐ Verify proper operation of climate control*	
Inspect exterior for damage, dings		☐ Inspect operation of all power outlets*	
scratches. Report and repair any da		$\hfill \square$ Verify the glove compartment opens and closes properly	
the customer		☐ Check panoramic sunroof and sunshade operation*	
Lighting and Windshield		☐ Verify operation of front Passenger Occupant Detection System	
☐ Test exterior lighting functions		3,000	
Test windshield washers. Correct ai	m if necessary*	Settings	
Trunk Inspection ☐ Verify trunk is operational ☐ Verify operation of emergency release handle ☐ Install wheel bolt cover removal tool from PDI kit into trunk tool kit* ☐ Verify tool kit is installed securely in luggage compartment		☐ Verify operation of MMI® touch	
		☐ Set Time source setting to "GPS" and set Auto daylight sa	
		ings time to "on."*	
		☐ Set Time to "Automatic setting" and "Automatic time zon ☐ Verify and set language and measurement units*	
		☐ Verify Speech Dialog System is operating*☐ Set "Entertain. Fad." in Parking aid to an audible level*	
Set spare tire pressure*		Set "Music volume while parking" to medium*	
Check battery clamps for proper to	rque*	Set dealership location in navigation (if equipped)*	
		☐ Turn off Manual Speed Warning (if equipped)*	



2021

A5/S5/RS 5

Audi Pre-Delivery Inspection

Media / Radio / SAT	Convertible Functionality (if equipped)	
☐ Verify operation of aux. input	☐ Test operation of power folding top*	
☐ Insert SD card and test function of all slots	☐ Verify convertible top manual closing tools are present	
☐ Verify HD Radio is turned "off"*		
Confirm SiriusXM is on and in an active state (can scroll	Post-Road Test Inspection	
through channels and hear music)	☐ Verify SOS button is green and Roadside assistance button LED will remain off	
On-Hoist Inspection	☐ It may take up to 20 minutes for the emergency call system to activate (LED turns green) after flight/transport mode deactivation	
Remove transport suspension blocks (follow ELSA instruction)		
☐ Check steering, boots, brake system, hoses, tires and wheels for damage		
Check underside of vehicle for fluid leaks and loose components	vated (LED lights up in green)	
☐ Install wheel locks (if equipped)	☐ Interrogate fault memory and upload Diagnostic Log to GFF Paperless Server	
☐ Install wheel bolt covers and center caps as supplied*		
☐ Inspect wheel bolts for proper torque*	Check service interval and verify correct interval is displayed	
Set and store tire pressures for either sold vehicle OR stock	☐ Check engine oil level*	
inventory vehicle*	☐ Check all fluid levels and top off if necessary	
Driving Performance	☐ Ensure the yellow tire pressure tag is installed on the steering wheel	
Check horn operation	Apply 30 Day Inventory Maintenance Sticker**	
Verify hold and release of electronic parking brake	Install showroom charger to ensure battery remains charged at all times**	
☐ Verify engine Start-Stop System functionality*		
☐ Verify engine performance and acceleration*	Audi connect® (USA ONLY) (if equipped)	
Verify transmission operation, including shift paddles	☐ Turn on the Wi-Fi® hotspot (if equipped)*	
☐ Test drive vehicle applying brakes several times*		
Check steering/tire alignment	Check Wi-Fi® hotspot visibility. No data available at PDI (if equipped)*	
☐ Check for squeaks, rattles and wind noise. Repair any squeaks, rattles or wind noises before delivery to the customer	☐ Enable satellite map view for navigation (if equipped)*	
Calibrate rear view mirror*		
☐ Verify quality of radio reception in AM/FM/SiriusXM® bands		
Driver Assistance		
☐ Verify cruise control/ACC with Stop & Go functionality (if equipped)		
☐ Verify Audi side assist functionality (if equipped)		
☐ Verify Audi active lane assist functionality (if equipped)		
\square Verify operation of parking system (if equipped)*		
$\hfill \square$ Verify all vehicle Head-up display functionality (if equipped)*		
Activate NAV and follow directions back to dealership (if equipped)		



2021

A5/S5/RS 5

Audi Pre-Delivery Inspection

Technician I certify that all operations have been completed and this vehicle has been prepared in accordance with Audi Procedures and Quality Standards, and has met the standards for Perfect Delivery.				
Technician Signature	Last 8 of VIN	Completion Date	-	



Audi Phone Box-Equipped Vehicles

Operation of the Audi Phone Box is subject to the following requirements of the Federal Communications Commission:

This is a CONSUMER device.

BEFORE USE, you MUST REGISTER THIS DEVICE with your wireless provider and have your provider's consent. Most wireless providers consent to the use of signal boosters. Some providers may not consent to the use of this device on their network. If you are unsure, contact your service provider.

You MUST operate this device with approved antennas and cables as specified by the manufacturer. Antennas MUST be installed at least 20 cm (8 inches) from any person.

You MUST cease operating this device immediately if requested by the FCC or a licensed wireless service provider.

WARNING. E911 location information may not be provided or may be inaccurate for calls served by using this device.

Make #	FKW	
Model #		
Serial #	FKW -	
FCC ID		



This Signal Booster fulfills the FCC requirements for the Network Protection Starndard (NPS). It incorporates features to prevent harmful interference to wireless networks like:

- Anti-oscillation to detect and mitigate any unintended oscillations in uplink and downlink frequency bands,
- Adaptive gain control with self-monitoring and to power down automatically as approaching any affected base station,
- Uplink Inactivity to shut down the transmit amplifiers if not serving an active device connection.

This Signal Booster includes features to prevent harmful interference. These features are enabled and operating at all times the signal booster is in use, they may not be deactivated by the operator.