

Technical Journal

TITLE:

Polestar Bellow noise

REF NO: TJ 35811.1.0	ISSUING DEPARTMENT: Technical Service	CAR MARKET: United States and Canada	
PARTNER: 3 US 7515		ISSUE DATE: 2021-01-20	STATUS DATE: 2021-02-17
FUNC GROUP: 4620	FUNC DESC: Front axle casing	Page 1 of 5	

Attachment

File Name	File Size
TJI-520443-2_1_1_en-US.pdf	0.3236 MB

DESCRIPTION:

If a noise occurs from the front drive shaft bellows during slow driving and/or turning (e.g. parking maneuvers), follow the instructions under "service".

CSC Customer Symptom Codes

Code	Description
D2	Front/rear axle/Unusual noise

DTC Diagnostic Trouble Codes

Vehicle Type

Type	Eng	Eng Desc	Sales	Body	Gear	Steer	Model Year	Plant	Chassis range	Struc Week Range
534							2021-9999	19	-	202007-999952

SERVICE:

Clean the bellows with a dry cloth and apply spray wax, Wurth part number 0892082500 on the bellows.

If possible, please perform this operation again 2 weeks after the first application.

Technical Journal 35811.1.0

Warranty claim info:

To get warranty claim accepted for a job described in this TJ, please use following data:

VST OP number: 99922-2

VST Operation Number

VST Operation Number	Description
99922-2	Boot, driveshaft constant velocity joint , outer

VEHICLE REPORT:

Yes, please submit a Vehicle Report if the service solution described in this TJ has no effect. Use concern area "Vehicle Report Polestar" and sub concern area "Support not needed Polestar", use function group 4620.

To view TJ attachment continue to next page. This TJ has one attachment.

Polestar

Volvo Car Customer Service

TJ Instruction VCC-520443-2

Title	Boot, driveshaft constant velocity joint , outer	Page	1 (3)
Action	Product fix	Operation number:	99922-2

Issue	Date	Reason
1	2020-01	First issue


Affected vehicles

Model year	Model
2021, 2022	Polestar 2

Materials

Materials	Qty.	Part No.	Notes
Wax	0.1	30787812	



Color symbols



Note! This colour chart displays (in colour print and electronic version) the importance of the different colours used in the images of the method steps.

- 1 . Used for focused component, the component with which you will do something.
- 2 . Used as extra colors when you need to show or differentiate additional parts.
- 3 . Used for attachments that are to be removed/installed. May be screws, clips, connectors, etc.
- 4 . Used when the component is not fully removed from the vehicle but only hung to the side.
- 5 . Used for standard tools and special tools.
- 6 . Used as background color for vehicle components.


Cleaning





Caution! Use lint free cloth.

Note! Make sure that the component is clean and free of foreign material.

Wipe off





Apply a thin and even layer.
On both sides.

Use: Wax , 30787812