



SERVICE BULLETIN

Classification: BT15-023	Reference: NTB15-088	Date: October 13, 2015
-----------------------------	-------------------------	---------------------------

2014-2015 TAXI; SLIDE WINDOW “INFORMATION” LABEL SERVICE PART AVAILABLE

APPLIED VEHICLES: 2014-2015 Taxi

SERVICE INFORMATION

If you confirm there is a need to replace the slide window “INFORMATION” label on an Applied Vehicle for any reason (scratches, worn appearance, etc.):

- Do not replace the slide window latch finisher. The “INFORMATION” label is available as a separate service part.
- Follow the procedure on page 2 when replacing the label.




Figure 1

Nissan Bulletins are intended for use by qualified technicians, not 'do-it-yourselfers'. Qualified technicians are properly trained individuals who have the equipment, tools, safety instruction, and know-how to do a job properly and safely. NOTE: If you believe that a described condition may apply to a particular vehicle, DO NOT assume that it does. See your Nissan dealer to determine if this applies to your vehicle.

Replacing the “INFORMATION” Label

1. Carefully remove all remnants of the original label.
 - The label should peel off easily. Use a plastic trim tool, if needed.
2. Clean the area of the finisher where the label was applied with mild soap and water.
 - Confirm the finisher is completely dry and free of residue, oil, and dirt before proceeding to step 3.
3. Attach the new label.
 - Position the label in the center of the finisher, just above and aligned with the slide window latch. See Figure 2 for correct placement.
 - Make sure no wrinkles form as the label is being applied.




Figure 2

PARTS INFORMATION

DESCRIPTION	PART NUMBER	QUANTITY
LABEL-SIDE WDW (Slide Window Information Label)	83896-3LN0A	One per side, as needed

CLAIMS INFORMATION

Submit a Primary Failed Part (PP) line claim using the following claims coding:

DESCRIPTION	PFP	OP CODE	SYM	DIA	FRT
RPL INFORMATION LABEL ONE SIDE	83896-3LN0A	BX5FAA	(1)	(1)	0.2
RPL INFORMATION LABEL BOTH SIDES		BX5GAA	(1)	(1)	0.2

(1) Use the Symptom and Diagnostic codes that apply to the repair actually performed.

