Technical Journal

TITLE:

DTC SRS-B15381B High Voltage battery loop control

REF NO: TJ 36001.1.0	ISSUING DEPARTMENT: Technical Service	CAR MA United States	
	PARTNER: 3 US 7515	ISSUE DATE: 2021-07-14	STATUS DATE: 2021-07-19
FUNC GROUP: 8843	FUNC DESC: Catch for safety belt	Page	1 of 5

Attachment

File Name	File Size
TJI-512820_2_1_0_en-US.pdf	0.0626 MB

DESCRIPTION:

If front seat belt catch makes noise when rubbing against the seat upholstery, follow instruction under Service.

CSC Customer Symptom Codes

Code	Description
ZD	Front seat/Squeak/rattle
WO	Seat belt and other safety systems/Unusual noise

DTC Diagnostic Trouble Codes

Vehicle Type

Туре	Eng	Eng Desc	Sales	Body	Gear	Steer	Model Year	Plant	Chassis range	Struc Week Range
534							2021-9999		0000000-0999999	202007-999952

SERVICE:

Apply anti squeak tape 1161842 according to instruction TJI-512820_2_1_0_xx-XX.pdf.

Technical Journal 36001.1.0

VST Operation Number

VST Operation Number	Description
99921-2	General reimbursement acc. to TJ/QB

LABOR TIME:

Labor time is 0.1

VEHICLE REPORT:

Yes, please submit a Vehicle Report if the service solution described in this TJ has no effect. Use concern area "Vehicle Report Polestar" and sub concern area "Support not needed Polestar", use function group 8843.

To view TJ attachment continue to next page. This TJ has one attachment.

Page 2 of 5 2021-07-19

Polestar

Volvo Car Customer Service

TJ Instruction VCC-512820-2

Title	Front safety belt buckle	Page	1 (3)
Action	Product fix	Operation number:	99921-2

Issue	Date	Reason
1	2021-07	First issue

Affected vehicles

Model year	
2021, 2022	Polestar 2


Materials

Materials	Qty.	Part No.	Notes
Anti-squeak tape	0.01	1161842	

Equipment

Designation	Part No.
Tape measure	
Scissors	

Color symbols




Note! This colour chart displays (in colour print and electronic version) the importance of the different colours used in the images of the method steps.

- Used for focused component, the component with which you will do something.
- 2. Used as extra colors when you need to show or differentiate additional parts.
- Used for attachments that are to be removed/installed. May be screws, clips, connectors, etc.
- 4 . Used when the component is not fully removed from the vehicle but only hung to the side.
- 5. Used for standard tools and special tools.
- Used as background color for vehicle components.

Adjustment

On both sides.



Use: Anti-squeak tape, 1161842

Use: Tape measure

Use: Scissors

Cut

Round the corners.

