

Upcoming Campaign Advanced Tool Requirement Notice

This notice is for:	✓ Dealer Principal	✓ Service Manager	Warranty Administrator
	Sales Manager	✓ Parts Manager	✓ Technicians

In an effort to provide dealerships with an opportunity to prepare for an upcoming campaign, this notice is to inform you of the tools that will be required. Please ensure these tools (or equivalent where specified) are present and in good working order as soon as possible.

For tool ordering information, please contact the Audi Service Tools & Equipment Program @ 1-800-892-9650 or audi.snapon.com.

Date | January 26, 2024

Anticipated Launch | February 2024

Required Tools

	Washer N -901-797-04 (qty. 2)		Guide Pin -T10341-
	Wedge Set -T10383- (or equivalent)		Holding Strap -T40155A- (qty. 2) (or equivalent)
	Oil Sump Assembly Pin -T40199-		Seal Plug -T40417- (qty. 2)
	Sealing Plug -T40418A- (qty. 3)		Cover -T40420-



Audi

	<p>Shock-Proof Protection (30 Pcs) -T40421-</p>		<p>Sealing Device -T40422-</p>
	<p>Module Picker -T40424-</p>		<p>Adapter for diagnosis box HV battery -VAS5581/8-</p>
	<p>Swivel Bolt M10 -VAS691015- (qty. 2)</p>		<p>Lifting Eye -VAS691013- (qty. 2)</p>
	<p>Connection Cable -VAS6910/17-1-</p>		<p>Connection Cable -VAS6910/17-2-</p>
	<p>Hose Clip Pliers -VAS6340- (or equivalent)</p>		<p>Leak Tester - Rubber Bungs -VAS6911/10- (qty. 8)</p>
	<p>Leak Tester - Test Connector Set -VAS6911/3B-</p>		<p>Leak Tester - Seal Set -VAS6911/4- (qty. 2)</p>

The repair information in this document is intended for use only by skilled technicians who have the proper tools, equipment and training to correctly and safely maintain your vehicle. These procedures are not intended to be attempted by "do-it-yourselfers," and you should not assume this document applies to your vehicle, or that your vehicle has the condition described. To determine whether this information applies, contact an authorized Audi dealer. ©2024 Audi of America, Inc., and Audi Canada. All Rights Reserved.



Audi

 <p>Warning Sign - High Voltage -VAS6649-</p>	 <p>Warning Sign - "Do Not Switch On" -VAS6650A-</p>
 <p>Warning Sign – Battery -VAS6786-</p>	 <p>Warning Sign - "Do Not Insert" -VAS6871-</p>
 <p>Scraper Set -VAS6845- -or- -VAS895015-</p>	 <p>High-voltage tool set -VAS6762A- (or -VAS6762-)</p>
 <p>Plastic Wedge Set -VAS852015-</p>	 <p>Pneumatic Applicator - Cartridge Gun -VAS891005-</p>
 <p>Scissor Lift Table -VAS6131B- (or equivalent)</p>	 <p>Engine Bung Set -VAS6122- (or equivalent)</p>
 <p>Digital Pressure Sensor -VAG1397B-</p>	 <p>Shop Crane -VAS6100- (or equivalent)</p>

The repair information in this document is intended for use only by skilled technicians who have the proper tools, equipment and training to correctly and safely maintain your vehicle. These procedures are not intended to be attempted by "do-it-yourselfers," and you should not assume this document applies to your vehicle, or that your vehicle has the condition described. To determine whether this information applies, contact an authorized Audi dealer. ©2024 Audi of America, Inc., and Audi Canada. All Rights Reserved.



Audi

	<p>Cooling System Tester - Directional Valve -VAS691005/1- (component of -VAS691005-)</p>		<p>High Voltage Tool Set - Torque Wrench -VAS6883/1A-</p>
	<p>High Voltage Tool Set - Voltage Tester -VAS6762/45- (component of -VAS6762A-)</p>		<p>Cooling System Tester - Directional Valve -VAS691005/5- (component of -VAS691005-)</p>
	<p>Module Balancer -VAS6910-</p>		<p>Cooling System Service Machine – TEXA -VAS531011KIT-</p>
	<p>Cooling System Tester -VAG1274B-</p>		<p>Hose Clamps - Up To 25mm -3094- (or equivalent)</p>
	<p>Padlock -T40262/1- (from Service Disconnect Lock -T40262-)</p>		<p>Vehicle Diagnosis System - Connection Lead -VAS5051/66-</p>
	<p>Pressure Sensor -VAS611013-</p>		<p>Insulated Torx Wrench Set - 3/8 -VAS691003A-</p>

The repair information in this document is intended for use only by skilled technicians who have the proper tools, equipment and training to correctly and safely maintain your vehicle. These procedures are not intended to be attempted by "do-it-yourselfers," and you should not assume this document applies to your vehicle, or that your vehicle has the condition described. To determine whether this information applies, contact an authorized Audi dealer. ©2024 Audi of America, Inc., and Audi Canada. All Rights Reserved.



Audi

 <p>Test Adapter - Hybrid Module -VAS6558A-</p>	 <p>*High Voltage Diagnostics Box -VAS5581A-</p>
 <p>Battery Tester/Charger capable of minimum 90 Amp continuous supply</p>	 <p>Shackle (Equivalent to VAS691009A) -VAS691009US- Qty. = 5</p>
 <p>Diagnostic Tester -VAS6150X/6160X- (or equivalent)</p>	

<END OF MESSAGE>