



Technical Service Bulletin

Technical Service Bulletin: TSB130080

Released Date: 07-Feb-2024

Cummins® Service Model Identification

Cummins® Service Model Identification

Warranty Statement

The information in this document has no effect on present warranty coverage or repair practices, nor does it authorize TRP or Campaign actions.

Contents

Introduction to Service Model Names

The purpose of this document is to introduce Cummins® Service Model Name. Prior to 2007, Cummins Inc. primarily relied on the marketing model name to identify products. As Cummins Inc. introduced more products, the marketing model names were found to be too generic and did **not** identify variations of a product with the same marketing model name. Beginning in 2007, Cummins Inc. started using service model names to:

- Match the correct Cummins® service information and tools to a specific product.
- Assist repair locations with finding service information when the product serial number (PSN), engine serial number (ESN), or system serial number (SSN) is **not** available.

The original service model name used a suffix with letters to designate emissions-related hardware/technology used for that product. The Cummins® Service Engine Model Product Identification procedure provided a description of that service model name strategy. Refer to Procedure 100-003 in Section E. (</qs3/pubsys2/xml/en/procedures/99/99-100-003.html>)

2013 Service Model Name

Beginning in 2013, a new service model name strategy was implemented, replacing the previous strategy. Limitations were found with the previous service model name strategy. Products that used the previous service model name will **not** be updated with new service model names. The Cummins® Service Engine Model Identification procedure describes this new service model name strategy. Refer to Procedure 100-005 in Section E. (</qs3/pubsys2/xml/en/procedures/99/99-100-005.html>)

In addition to the new service model name strategy procedure, an additional new procedure was created, Cummins® Product Technology. This procedure can be used to identify the:

- Service model name for the product covered by the manual.

- Emission regulations the product was first released to meet.
- Hardware/technology used by the product.
- Market applications for which the product is used.

2017 Service Model Name

Beginning in 2017, an update was made to the service model name strategy to support a change to marketing model names. The change to the marketing model name was to remove the “IS” and “QS”, which previously could be used to differentiate automotive and industrial applications. To continue to support application identification, the service model name will have a new letter designation at the end of the suffix to identify the application type. The Cummins® Service Engine Model Identification (2017) procedure provides details. Refer to Procedure 100-008 in Section E. (</qs3/pubsys2/xml/en/procedures/99/99-100-008.html>) **Only** new products that use the new marketing model name will have an additional letter designation at the end of the suffix of the service model name.

Non-Engine Products

The Cummins® Service Transmission Model Identification procedure provides details of the service model name strategy to support transmissions. Refer to Procedure 344-004 in Section E. (</qs3/pubsys2/xml/en/procedures/99/99-344-004.html>)

List of Service Model Names

The tables below list the Cummins® products released with the new service model name and a link to the Cummins® Product Technology Procedure for that product.

To find a particular service model name quickly, utilize the search function on the computer by typing in the service model name. With an English keyboard and computer equipped with Windows™ operating system this is accomplished by simultaneously pressing the “Ctrl” key and the “F” key on the computer keyboard.

Table 1, Engine Family or Product and Associated Table

Engine Family or Product	Associated Table Number
Aftertreatment	2
Battery Electric System	3
B Series	4
C Series	5
D Series	6
F Series	7
G Series	8
K Series	9
L Series	10

Table 1, Engine Family or Product and Associated Table

Engine Family or Product	Associated Table Number
M Series	11
N Series	12
R Series	13
T Series	14
TR Series	15
V Series	16
X Series	17
Z Series	18

Table 2, Aftertreatment

Service Model Name	Bulletin Number	Procedure Number	Procedure
AFT CM1881 AS101	5677316	Refer to Procedure 100-006 in Section E. (/qs3/pubsys2/xml/en/procedures/1127/1127-100-006.html)	Cummins® Product Technology
AFT CM1881 AS102	5677321	Refer to Procedure 100-006 in Section E. (/qs3/pubsys2/xml/en/procedures/1129/1129-100-006.html)	Cummins® Product Technology

Table 3, Battery Electric System

Service Model Name	Bulletin Number	Procedure Number	Procedure
BES CM2450 EV101B	5659699	https://quickserve.cummins.com/qs3/service/suite/xml/en/purpose/5/5-13-3678.html#s33652	Cummins® Product Technology
BES CM0904 EV104B	5613021	https://quickserve.cummins.com/qs3/service/suite/xml/en/purpose/10/10-24-3678.html#s26817	Cummins® Product Technology

Table 3, Battery Electric System

Service Model Name	Bulletin Number	Procedure Number	Procedure
BES CM2450 EV105B	5677037	https://quickserve.cummins.com/qs3/service/suite/xml/en/purpose/25/25-62-3678.html#s41156	Cummins® Product Technology
BES CM2450 EV107B	5723301	https://quickserve.cummins.com/qs3/service/suite/xml/en/purpose/36/36-85-3678.html#s45624	Cummins® Product Technology
BES CM2450 EV109B	6378700	https://quickserve.cummins.com/qs3/service/suite/xml/en/purpose/42/42-98-3678.html#s51701	Cummins® Product Technology
BES CM2450 EV110B	6378683	https://quickserve.cummins.com/qs3/service/suite/xml/en/purpose/52/52-129-3678.html#s54337	Cummins® Product Technology
BES CM0196 EV114B	6457245	https://quickserve.cummins.com/qs3/service/suite/xml/en/purpose/63/63-154-3678.html	Cummins® Product Technology

Table 4, B Series

Service Model Name	Bulletin Number	Procedure Number	Procedure
B3.9 CM2620 B171C	5659686	Refer to Procedure 100-006 in Section E. (/qs3/pubsys2/xml/en/procedures/994/994-100-006.html)	Cummins® Product Technology

Table 4, B Series

Service Model Name	Bulletin Number	Procedure Number	Procedure
B3.9 CM2880 B194G	6320165	Refer to Procedure 100-006 in Section E. (/qs3/pubsys2/xml/en/procedures/1202/1202-100-006.html)	Cummins® Product Technology
B3.9 CM2880 B195G	6320190	Refer to Procedure 100-006 in Section E (/qs3/pubsys2/xml/en/procedures/1204/1204-100-006.html)	Cummins® Product Technology
B4.0 CM2620 B154B	5579476	Refer to Procedure 100-006 in Section E. (/qs3/pubsys2/xml/en/procedures/649/649-100-006.html)	Cummins® Product Technology
B4.5 CM2220 B186B	5677031	Refer to Procedure 100-006 in Section E. (/qs3/pubsys2/xml/en/procedures/1125/1125-100-006.html)	Cummins® Product Technology
B4.5 CM2220 B190B	6307946	Refer to Procedure 100-006 in Section E. (/qs3/pubsys2/xml/en/procedures/1178/1178-100-006.html)	Cummins® Product Technology
B4.5 CM2350 B129B	5411247	Refer to Procedure 100-006 in Section E. (/qs3/pubsys2/xml/en/procedures/429/429-100-006.html)	Cummins® Product Technology
B4.5 CM2350 B147B Stop-Start Applications	5411252	Refer to Procedure 100-006 in Section E. (/qs3/pubsys2/xml/en/procedures/471/471-100-006.html)	Cummins® Product Technology

Table 4, B Series

Service Model Name	Bulletin Number	Procedure Number	Procedure
B4.5 CM2350 B146C	5504283	Refer to Procedure 100-006 in Section E. (/qs3/pubsys2/xml/en/procedures/552/552-100-006.html)	Cummins® Product Technology
B4.5 CM2350 B159C	5579840	Refer to Procedure 100-006 in Section E. (/qs3/pubsys2/xml/en/procedures/692/692-100-006.html)	Cummins® Product Technology
B4.5 CM2350 B160M	5659998	Refer to Procedure 100-006 in Section E. (/qs3/pubsys2/xml/en/procedures/694/694-100-006.html)	Cummins® Product Technology
B4.5 CM2350 B161M	5660002	Refer to Procedure 100-006 in Section E. (/qs3/pubsys2/xml/en/procedures/696/696-100-006.html)	Cummins® Product Technology
B4.5 CM2620 B158B	5579749	Refer to Procedure 100-006 in Section E. (/qs3/pubsys2/xml/en/procedures/651/651-100-006.html)	Cummins® Product Technology
B4.5 CM2620 B206B	6458494	Refer to Procedure 100-006 in Section E. (/qs3/pubsys2/xml/en/procedures/1347/1347-100-006.html)	Cummins® Product Technology
B4.5 CM2670 B178G	5660091	Refer to Procedure 100-006 in Section E. (/qs3/pubsys2/xml/en/procedures/1087/1087-100-006.html)	Cummins® Product Technology

Table 4, B Series

Service Model Name	Bulletin Number	Procedure Number	Procedure
B5.6 CM2670 B152B	5504360	Refer to Procedure 100-006 in Section E. (/qs3/pubsys2/xml/en/procedures/573/573-100-006.html)	Cummins® Product Technology
B5.6 CM2670 B187B	5677069	Refer to Procedure 100-006 in Section E. (/qs3/pubsys2/xml/en/procedures/1155/1155-100-006.html)	Cummins® Product Technology
B5.9 CM2670 B166C	5579937	Refer to Procedure 100-006 in Section E. (/qs3/pubsys2/xml/en/procedures/739/739-100-006.html)	Cummins® Product Technology
B5.9 CM2880 B192G	6312704	Refer to Procedure 100-006 in Section E. (/qs3/pubsys2/xml/en/procedures/1185/1185-100-006.html)	Cummins® Product Technology
B6.2 CM2670 B156B	5579510	Refer to Procedure 100-006 in Section E. (/qs3/pubsys2/xml/en/procedures/629/629-100-006.html)	Cummins® Product Technology
B6.7 CM2350 B121B	5411223	Refer to Procedure 100-006 in Section E. (/qs3/pubsys2/xml/en/procedures/455/455-100-006.html)	Cummins® Product Technology
B6.7 CM2350 B135B	5411257	Refer to Procedure 100-006 in Section E. (/qs3/pubsys2/xml/en/procedures/423/423-100-006.html)	Cummins® Product Technology

Table 4, B Series

Service Model Name	Bulletin Number	Procedure Number	Procedure
B6.7 CM2350 B136C	5504194	Refer to Procedure 100-006 in Section E. (/qs3/pubsys2/xml/en/procedures/558/558-100-006.html)	Cummins® Product Technology
B6.7 CM2350 B148B Stop-Start Applications	5411262	Refer to Procedure 100-006 in Section E. (/qs3/pubsys2/xml/en/procedures/495/495-100-006.html)	Cummins® Product Technology
B6.7 CM2350 B157C	5579684	Refer to Procedure 100-006 in Section E. (/qs3/pubsys2/xml/en/procedures/641/641-100-006.html)	Cummins® Product Technology
B6.7 CM2350 B198C	6396899	Refer to Procedure 100-006 in Section E. (/qs3/pubsys2/xml/en/procedures/1246/1246-100-006.html)	Cummins® Product Technology
B6.7 CM2450 B181B	5677155	Refer to Procedure 100-006 in Section E. (/qs3/pubsys2/xml/en/procedures/1097/1097-100-006.html)	Cummins® Product Technology
B6.7 CM2620 B180B	5676983	Refer to Procedure 100-006 in Section E. (/qs3/pubsys2/xml/en/procedures/1093/1093-100-006.html)	Cummins® Product Technology
B6.7 CM2670 B153B	5504365	Refer to Procedure 100-006 in Section E. (/qs3/pubsys2/xml/en/procedures/575/575-100-006.html)	Cummins® Product Technology

Table 4, B Series

Service Model Name	Bulletin Number	Procedure Number	Procedure
B6.7 CM2670 B163B	6425237	Refer to Procedure 100-006 in Section E (/qs3/pubsys2/xml/en/procedures/785/785-100-006.html)	Cummins® Product Technology
B6.7 CM2670 B173B	5659863	Refer to Procedure 100-006 in Section E. (/qs3/pubsys2/xml/en/procedures/1032/1032-100-006.html)	Cummins® Product Technology
B6.7 CM2670 B175G	5659921	Refer to Procedure 100-006 in Section E. (/qs3/pubsys2/xml/en/procedures/1052/1052-100-006.html)	Cummins® Product Technology
B6.7 CM2670 B176B	5676978	Refer to Procedure 100-006 in Section E. (/qs3/pubsys2/xml/en/procedures/1060/1060-100-006.html)	Cummins® Product Technology
B6.7 CM2670 B188B	5677074	Refer to Procedure 100-006 in Section E (/qs3/pubsys2/xml/en/procedures/1157/1157-100-006.html)	Cummins® Product Technology
B6.7 CM2670 B200B	6438999	Refer to Procedure 100-006 in Section E. (/qs3/pubsys2/xml/en/procedures/1308/1308-100-006.html)	Cummins® Product Technology
B6.7 CM2880 B191G	6312650	Refer to Procedure 100-006 in Section E. (/qs3/pubsys2/xml/en/procedures/1182/1182-100-006.html)	Cummins® Product Technology

Table 4, B Series

Service Model Name	Bulletin Number	Procedure Number	Procedure
B6.7 G CMOH6.0 B125	4383640	Refer to Procedure 100-006 in Section E. (/qs3/pubsys2/xml/en/procedures/391/391-100-006.html)	Cummins® Product Technology
B6.7N CM2380 B150B	5467665	Refer to Procedure 100-006 in Section E. (/qs3/pubsys2/xml/en/procedures/527/527-100-006.html)	Cummins® Product Technology
B6.7 CM2670 B164C	5579937	Refer to Procedure 100-006 in Section E. (/qs3/pubsys2/xml/en/procedures/741/741-100-006.html)	Cummins® Product Technology
B7 CM2670 B165C	5579947	Refer to Procedure 100-006 in Section E. (/qs3/pubsys2/xml/en/procedures/743/743-100-006.html)	Cummins® Product Technology
ISB3.9 CM2220 B107	4310792	Refer to Procedure 100-006 in Section E. (/qs3/pubsys2/xml/en/procedures/209/209-100-006-tr.html)	Cummins® Product Technology
ISB4.5 CM2350 B104	4332646	Refer to Procedure 100-006 in Section E. (/qs3/pubsys2/xml/en/procedures/186/186-100-006.html)	Cummins® Product Technology
ISB5.9 CM2880 B110	4332883	Refer to Procedure 100-006 in Section E. (/qs3/pubsys2/xml/en/procedures/296/296-100-006.html)	Cummins® Product Technology

Table 4, B Series

Service Model Name	Bulletin Number	Procedure Number	Procedure
ISB5.9 CM2880 B127	4383645	Refer to Procedure 100-006 in Section E. (/qs3/pubsys2/xml/en/procedures/383/383-100-006.html)	Cummins® Product Technology
ISB5.9 CM2880 B140	5411229	Refer to Procedure 100-006 in Section E. (/qs3/pubsys2/xml/en/procedures/514/514-100-006.html)	Cummins® Product Technology
ISB5.9 CM2880 B149	5467237	Refer to Procedure 100-006 in Section E. (/qs3/pubsys2/xml/en/procedures/515/515-100-006.html)	Cummins® Product Technology
ISB6.7 CM2350 B101	2883567	Refer to Procedure 100-006 in Section E. (/qs3/pubsys2/xml/en/procedures/155/155-100-006-tr-isb13.html)	Cummins® Product Technology
ISB6.7 CM2350 B103	4332641	Refer to Procedure 100-006 in Section E. (/qs3/pubsys2/xml/en/procedures//100-006.html)	Cummins® Product Technology
ISB6.7 CM2350 B142	5411131	Refer to Procedure 100-006 in Section E. (/qs3/pubsys2/xml/en/procedures/457/457-100-006.html)	Cummins® Product Technology
B6.7 CM2450 B155B	5613229	Refer to Procedure 100-006 in Section E. (/qs3/pubsys2/xml/en/procedures/647/647-100-006.html)	Cummins® Product Technology

Table 4, B Series

Service Model Name	Bulletin Number	Procedure Number	Procedure
ISB6.7 G CM2180 B118	5411104	Refer to Procedure 100-006 in Section E. (/qs3/pubsys2/xml/en/procedures/353/353-100-006.html)	Cummins® Product Technology
ISB/ISD4.5 CM2150 B119	4358465	Refer to Procedure 100-006 in Section E. (/qs3/pubsys2/xml/en/procedures/321/321-100-006.html)	Cummins® Product Technology
ISB/ISD6.7 CM2150 B120	4358470	Refer to Procedure 100-006 in Section E. (/qs3/pubsys2/xml/en/procedures/322/322-100-006.html)	Cummins® Product Technology
ISB/ISD6.7 CM2880 B126	4383693	Refer to Procedure 100-006 in Section E. (/qs3/pubsys2/xml/en/procedures/379/379-100-006.html)	Cummins® Product Technology
ISD6.7 CM2880 D101	5411372	Refer to Procedure 100-006 in Section E. (/qs3/pubsys2/xml/en/procedures/506/506-100-006.html)	Cummins® Product Technology
QSB3.3 CM2250 B137	5411058	Refer to Procedure 100-006 in Section E. (/qs3/pubsys2/xml/en/procedures/441/441-100-006.html)	Cummins® Product Technology
QSB3.9 CM2880 B138	5411050	Refer to Procedure 100-006 in Section E. (/qs3/pubsys2/xml/en/procedures/449/449-100-006.html)	Cummins® Product Technology

Table 4, B Series

Service Model Name	Bulletin Number	Procedure Number	Procedure
QSB4.5 CM2150 B108	4326163	Refer to Procedure 100-006 in Section E. (/qs3/pubsys2/xml/en/procedures/218/218-100-006.html)	Cummins® Product Technology
QSB4.5 CM2250 B131	4388774	Refer to Procedure 100-006 in Section E. (/qs3/pubsys2/xml/en/procedures/433/433-100-006.html)	Cummins® Product Technology
QSB4.5 CM2350 B106	4367376	Refer to Procedure 100-006 in Section E. (/qs3/pubsys2/xml/en/procedures/259/259-100-006.html)	Cummins® Product Technology
QSB4.5 CM2350 B122	4388767	Refer to Procedure 100-006 in Section E. (/qs3/pubsys2/xml/en/procedures/381/381-100-006.html)	Cummins® Product Technology
QSB4.5 CM2350 B144	5411382	Refer to Procedure 100-006 in Section E. (/qs3/pubsys2/xml/en/procedures/483/483-100-006.html)	Cummins® Product Technology
QSB4.5 CM2350 B174C	5613383	Refer to Procedure 100-006 in Section E. (/qs3/pubsys2/xml/en/procedures/880/880-100-006.html)	Cummins® Product Technology
QSB5.9 CM2880 B115	4332708	Refer to Procedure 100-006 in Section E. (/qs3/pubsys2/xml/en/procedures/311/311-100-006.html)	Cummins® Product Technology

Table 4, B Series

Service Model Name	Bulletin Number	Procedure Number	Procedure
QSB5.9 CM2880 B139	4388870	Refer to Procedure 100-006 in Section E. (/qs3/pubsys2/xml/en/procedures/451/451-100-006.html)	Cummins® Product Technology
QSB6.7 CM2350 B105	4332778	Refer to Procedure 100-006 in Section E. (/qs3/pubsys2/xml/en/procedures/257/257-100-006.html)	Cummins® Product Technology
QSB6.7 CM2150 B109	4326168	Refer to Procedure 100-006 in Section E. (/qs3/pubsys2/xml/en/procedures/216/216-100-006.html)	Cummins® Product Technology
QSB6.7 CM2350 B112	4358498	Refer to Procedure 100-006 in Section E. (/qs3/pubsys2/xml/en/procedures/307/307-100-006.html)	Cummins® Product Technology
QSB6.7 CM2880 B116	4363713	Refer to Procedure 100-006 in Section E. (/qs3/pubsys2/xml/en/procedures/305/305-100-006.html)	Cummins® Product Technology
QSB6.7 CM2250 B128	4388601	Refer to Procedure 100-006 in Section E. (/qs3/pubsys2/xml/en/procedures/407/407-100-006.html)	Cummins® Product Technology
QSB6.7 CM2350 B130	4388668	Refer to Procedure 100-006 in Section E. (/qs3/pubsys2/xml/en/procedures/419/419-100-006.html)	Cummins® Product Technology

Table 4, B Series			
Service Model Name	Bulletin Number	Procedure Number	Procedure
QSB6.7 CM2350 B145	5411273	Refer to Procedure 100-006 in Section E. (/qs3/pubsys2/xml/en/procedures/480/480-100-006.html)	Cummins® Product Technology
QSB6.7 CM2670 B170C	5659653	Refer to Procedure 100-006 in Section E. (/qs3/pubsys2/xml/en/procedures/914/914-100-006.html)	Cummins® Product Technology
QSB6.7 CM2670 B185C	5677064	Refer to Procedure 100-006 in Section E. (/qs3/pubsys2/xml/en/procedures/1153/1153-100-006.html)	Cummins® Product Technology
QSB7 CM2880 B117	4358390	Refer to Procedure 100-006 in Section E. (/qs3/pubsys2/xml/en/procedures/331/331-100-006.html)	Cummins® Product Technology
Table 5, C Series			
Service Model Name	Bulletin Number	Procedure Number	Procedure
QSC8.3 CM2880 C102	4388785	Refer to Procedure 100-006 in Section E. (/qs3/pubsys2/xml/en/procedures/436/436-100-006.html)	Cummins® Product Technology
Table 6, D Series			
Service Model Name	Bulletin Number	Procedure Number	Procedure
D6.7 CM2670 D102B	5504515	Refer to Procedure 100-006 in Section E. (/qs3/pubsys2/xml/en/procedures/546/546-100-006.html)	Cummins® Product Technology

Table 6, D Series

Service Model Name	Bulletin Number	Procedure Number	Procedure
D4.0 CM2620 D103B	5579482	Refer to Procedure 100-006 in Section E. (/qs3/pubsys2/xml/en/procedures/650/650-100-006.html)	Cummins® Product Technology
D4.5 CM2620 D104B	5579755	Refer to Procedure 100-006 in Section E. (/qs3/pubsys2/xml/en/procedures/653/653-100-006.html)	Cummins® Product Technology
D6.7 CM2670 D106B	5613212	Refer to Procedure 100-006 in Section E. (/qs3/pubsys2/xml/en/procedures/824/824-100-006.html)	Cummins® Product Technology
D6.7 CM2670 D107B	5613216	Refer to Procedure 100-006 in Section E. (/qs3/pubsys2/xml/en/procedures/826/826-100-006.html)	Cummins® Product Technology

Table 7, F Series

Service Model Name	Bulletin Number	Procedure Number	Procedure
F2.5 CM2620 F150B	5677026	Refer to Procedure 100-006 in Section E. (/qs3/pubsys2/xml/en/procedures/1123/1123-100-006.html)	Cummins® Product Technology
F2.8 CM2620 F135B	5504616	Refer to Procedure 100-006 in Section E. (/qs3/pubsys2/xml/en/procedures/593/593-100-006.html)	Cummins® Product Technology

Table 7, F Series

Service Model Name	Bulletin Number	Procedure Number	Procedure
F2.8 CM2620 F136B	5504621	Refer to Procedure 100-006 in Section E. (/qs3/pubsys2/xml/en/procedures/595/595-100-006.html)	Cummins® Product Technology
F3.8 F102	4325984	Refer to Procedure 100-006 in Section E. (/qs3/pubsys2/xml/en/procedures/211/211-100-006.html)	Cummins® Product Technology
F3.8 CM2350 F120B	5411237	Refer to Procedure 100-006 in Section E. (/qs3/pubsys2/xml/en/procedures/427/427-100-006.html)	Cummins® Product Technology
F3.8 CM2350 F128C	5504273	Refer to Procedure 100-006 in Section E. (/qs3/pubsys2/xml/en/procedures/548/548-100-006.html)	Cummins® Product Technology
F3.8 CM2350 F132B	5467327	Refer to Procedure 100-006 in Section E. (/qs3/pubsys2/xml/en/procedures/523/523-100-006.html)	Cummins® Product Technology
F3.8 CM2350 F133C	5504278	Refer to Procedure 100-006 in Section E. (/qs3/pubsys2/xml/en/procedures/550/550-100-006.html)	Cummins® Product Technology
F3.8 CM2350 F142C	5579830	Refer to Procedure 100-006 in Section E. (/qs3/pubsys2/xml/en/procedures/688/688-100-006.html)	Cummins® Product Technology

Table 7, F Series

Service Model Name	Bulletin Number	Procedure Number	Procedure
F3.8 CM2350 F143C	5579835	Refer to Procedure 100-006 in Section E. (/qs3/pubsys2/xml/en/procedures/690/690-100-006.html)	Cummins® Product Technology
F3.8 CM2350 F154C	6454365	Refer to Procedure 100-006 in Section 6 (/qs3/pubsys2/xml/en/procedures/1318/1318-100-006.html)	Cummins® Product Technology
F3.8 CM2620 F137B	5579515	Refer to Procedure 100-006 in Section E. (/qs3/pubsys2/xml/en/procedures/631/631-100-006.html)	Cummins® Product Technology
F3.8 CM2620 F149B	5660055	Refer to Procedure 100-006 in Section E. (/qs3/pubsys2/xml/en/procedures/822/822-100-006.html)	Cummins® Product Technology
F4.5 CM2620 F139B	5579522	Refer to Procedure 100-006 in Section E. (/qs3/pubsys2/xml/en/procedures/635/635-100-006.html)	Cummins® Product Technology
F4.5 CM2620 F141C	5612958	Refer to Procedure 100-006 in Section E. (/qs3/pubsys2/xml/en/procedures/698/698-100-006.html)	Cummins® Product Technology
F4.5 CM2620 F146B	5660050	Refer to Procedure 100-006 in Section E. (/qs3/pubsys2/xml/en/procedures/791/791-100-006.html)	Cummins® Product Technology

Table 7, F Series

Service Model Name	Bulletin Number	Procedure Number	Procedure
F4.5 CM2620 F152C	6324125	Refer to Procedure 100-006 in Section E. (/qs3/pubsys2/xml/en/procedures/1208/1208-100-006.html)	Cummins® Product Technology
ISF2.8 CM2220 F101	4310846	Refer to Procedure 100-006 in Section E. (/qs3/pubsys2/xml/en/procedures/197/197-100-006-tr.html)	Cummins® Product Technology
ISF2.8 CM2220 F117	4388578	Refer to Procedure 100-006 in Section E. (/qs3/pubsys2/xml/en/procedures/399/399-100-006.html)	Cummins® Product Technology
ISF2.8 CM2220 F122	5467376	Refer to Procedure 100-006 in Section E. (/qs3/pubsys2/xml/en/procedures/467/467-100-006.html)	Cummins® Product Technology
ISF2.8 CM2220 F126	5411159	Refer to Procedure 100-006 in Section E. (/qs3/pubsys2/xml/en/procedures/474/474-100-006.html)	Cummins® Product Technology
ISF2.8 CM2220 F129	5411325	Refer to Procedure 100-006 in Section E. (/qs3/pubsys2/xml/en/procedures/497/497-100-006.html)	Cummins® Product Technology
ISF3.8 CM2220 F103	4310839	Refer to Procedure 100-006 in Section E. (/qs3/pubsys2/xml/en/procedures/202/202-100-006-tr.html)	Cummins® Product Technology

Table 7, F Series

Service Model Name	Bulletin Number	Procedure Number	Procedure
ISF3.8 CM2350 F109	4367218	Refer to Procedure 100-006 in Section E. (/qs3/pubsys2/xml/en/procedures/313/313-100-006.html)	Cummins® Product Technology
ISF3.8 CM2220 F110	4358480	Refer to Procedure 100-006 in Section E. (/qs3/pubsys2/xml/en/procedures/324/324-100-006.html)	Cummins® Product Technology
ISF3.8 CM2220 F116	4383664	Refer to Procedure 100-006 in Section E. (/qs3/pubsys2/xml/en/procedures/387/387-100-006.html)	Cummins® Product Technology
ISF3.8 CM2220 F134B	5504165	Refer to Procedure 100-006 in Section E. (/qs3/pubsys2/xml/en/procedures/556/556-100-006.html)	Cummins® Product Technology
ISF4.5 CM2220 F123	5411320	Refer to Procedure 100-006 in Section E. (/qs3/pubsys2/xml/en/procedures/501/501-100-006.html)	Cummins® Product Technology
QSF2.8 CM2880 F104	4332741	Refer to Procedure 100-006 in Section E. (/qs3/pubsys2/xml/en/procedures/271/271-100-006.html)	Cummins® Product Technology
QSF2.8 CM2880 F105	4358561	Refer to Procedure 100-006 in Section E. (/qs3/pubsys2/xml/en/procedures/273/273-100-006.html)	Cummins® Product Technology

Table 7, F Series

Service Model Name	Bulletin Number	Procedure Number	Procedure
QSF2.8 CM2880 F108	4332746	Refer to Procedure 100-006 in Section E. (/qs3/pubsys2/xml/en/procedures/277/277-100-006.html)	Cummins® Product Technology
QSF2.8 CM2880 F114	4383734	Refer to Procedure 100-006 in Section E. (/qs3/pubsys2/xml/en/procedures/349/349-100-006.html)	Cummins® Product Technology
QSF2.8 CM2880 F124	5411484	Refer to Procedure 100-006 in Section E. (/qs3/pubsys2/xml/en/procedures/476/476-100-006.html)	Cummins® Product Technology
QSF2.8 CM2880 F131	5411489	Refer to Procedure 100-006 in Section E. (/qs3/pubsys2/xml/en/procedures/511/511-100-006.html)	Cummins® Product Technology
QSF3.8 CM2350 F107	4367316	Refer to Procedure 100-006 in Section E. (/qs3/pubsys2/xml/en/procedures/279/279-100-006.html)	Cummins® Product Technology
QSF3.8 CM2880 F112	4383825	Refer to Procedure 100-006 in Section E. (/qs3/pubsys2/xml/en/procedures/389/389-100-006.html)	Cummins® Product Technology
QSF3.8 CM2350 F118	4388708	Refer to Procedure 100-006 in Section E. (/qs3/pubsys2/xml/en/procedures/413/413-100-006.html)	Cummins® Product Technology

Table 7, F Series

Service Model Name	Bulletin Number	Procedure Number	Procedure
QSF3.8 CM2350 F119	4388703	Refer to Procedure 100-006 in Section E. (/qs3/pubsys2/xml/en/procedures/415/415-100-006.html)	Cummins® Product Technology
QSF3.8 CM2350 F125	5411494	Refer to Procedure 100-006 in Section E. (/qs3/pubsys2/xml/en/procedures/489/489-100-006.html)	Cummins® Product Technology

Table 8, G Series

Service Model Name	Bulletin Number	Procedure Number	Procedure
ISG11 CM2880 G106	4332695	Refer to Procedure 100-006 in Section E. (/qs3/pubsys2/xml/en/procedures/247/247-100-006.html)	Cummins® Product Technology
ISG11 CM2880 G108	4332901	Refer to Procedure 100-006 in Section E. (/qs3/pubsys2/xml/en/procedures/317/317-100-006.html)	Cummins® Product Technology
ISG12 CM2880 G107	4332690	Refer to Procedure 100-006 in Section E. (/qs3/pubsys2/xml/en/procedures/205/205-100-006.html)	Cummins® Product Technology
ISG12 CM2880 G109	4332906	Refer to Procedure 100-006 in Section E. (/qs3/pubsys2/xml/en/procedures/319/319-100-006.html)	Cummins® Product Technology

Table 8, G Series

Service Model Name	Bulletin Number	Procedure Number	Procedure
ISG12 G CMOH6.0 G111	4383873	Refer to Procedure 100-006 in Section E. (/qs3/pubsys2/xml/en/procedures/405/405-100-006.html)	Cummins® Product Technology
QSG12/X12 CM2350 G110	4367323	Refer to Procedure 100-006 in Section E. (/qs3/pubsys2/xml/en/procedures/351/351-100-006.html)	Cummins® Product Technology
QSG12 CM2880 G112	4388731	Refer to Procedure 100-006 in Section E. (/qs3/pubsys2/xml/en/procedures/417/417-100-006.html)	Cummins® Product Technology
QSG12 CM2350 G113	5467252	Refer to Procedure 100-006 in Section E. (/qs3/pubsys2/xml/en/procedures/491/491-100-006.html)	Cummins® Product Technology

Table 9, K Series

Service Model Name	Bulletin Number	Procedure Number	Procedure
GTA38 G CMEICS G116C	5613073	Refer to Procedure 100-006 in Section E. (/qs3/pubsys2/xml/en/procedures/620/620-100-006.html)	Cummins® Product Technology
GTA28 G CMEICS G117G	5613162	Refer to Procedure 100-006 in Section E. (/qs3/pubsys2/xml/en/procedures/796/796-100-006.html)	Cummins® Product Technology

Table 9, K Series

Service Model Name	Bulletin Number	Procedure Number	Procedure
HSK78G CM2358 K129G	A059L146	Refer to Procedure 100-006 in Section E. (/qs3/pubsys2/xml/en/procedures/540/540-100-006.html)	Cummins® Product Technology
KTA19E G CMEICS K151G	5723306	Refer to Procedure 100-006 in Section E. (/qs3/pubsys2/xml/en/procedures/1176/1176-100-006.html)	Cummins® Product Technology
KTA19 G CMEICS K123	4383849	Refer to Procedure 100-006 in Section E. (/qs3/pubsys2/xml/en/procedures/397/397-100-006.html)	Cummins® Product Technology
KTA50 K148G	5613355	Refer to Procedure 100-006 in Section E. (/qs3/pubsys2/xml/en/procedures/872/872-100-006.html)	Cummins® Product Technology
QSK19 CM2150 K139M	5504235	Refer to Procedure 100-006 in Section E. (/qs3/pubsys2/xml/en/procedures/568/568-100-006.html)	Cummins® Product Technology
QSK19 CM2350 K105	4326157	Refer to Procedure 100-006 in Section E. (/qs3/pubsys2/xml/en/procedures/223/223-100-006.html)	Cummins® Product Technology
QSK19 CM2350 K114	5579623	Refer to Procedure 100-006 in Section E. (/qs3/pubsys2/xml/en/procedures/645/645-100-006.html)	Cummins® Product Technology

Table 9, K Series

Service Model Name	Bulletin Number	Procedure Number	Procedure
QSK19 CM2350 K144G	5612922	Refer to Procedure 100-006 in Section E. (/qs3/pubsys2/xml/en/procedures/753/753-100-006.html)	Cummins® Product Technology
QSK23 CM2350 K127	5504160	Refer to Procedure 100-006 in Section E. (/qs3/pubsys2/xml/en/procedures/463/463-100-006.html)	Cummins® Product Technology
QSK23 CM2250 K109	4367358	Refer to Procedure 100-006 in Section E. (/qs3/pubsys2/xml/en/procedures/265/265-100-006.html)	Cummins® Product Technology
QSK38 CM2150 K106	4332768	Refer to Procedure 100-006 in Section E. (/qs3/pubsys2/xml/en/procedures/251/251-100-006.html)	Cummins® Product Technology
QSK38 CM2150 K142M	5504235	Refer to Procedure 100-006 in Section E. (/qs3/pubsys2/xml/en/procedures/568/568-100-006.html)	Cummins® Product Technology
QSK38 CM2350 K125	5613391	Refer to Procedure 100-006 in Section E. (/qs3/pubsys2/xml/en/procedures/544/544-100-006.html)	Cummins® Product Technology
QSK38 CM2350 K138M	5613395	Refer to Procedure 100-006 in Section E. (/qs3/pubsys2/xml/en/procedures/542/542-100-006.html)	Cummins® Product Technology

Table 9, K Series

Service Model Name	Bulletin Number	Procedure Number	Procedure
QSK38 CM2350 K145G	5612927	Refer to Procedure 100-006 in Section E. (/qs3/pubsys2/xml/en/procedures/755/755-100-006.html)	Cummins® Product Technology
QSK50 CM2150 K107	4332773	Refer to Procedure 100-006 in Section E. (/qs3/pubsys2/xml/en/procedures/253/253-100-006.html)	Cummins® Product Technology
QSK50 CM2150 K140M	5504235	Refer to Procedure 100-006 in Section E. (/qs3/pubsys2/xml/en/procedures/568/568-100-006.html)	Cummins® Product Technology
QSK50 CM2350 K108	4332823	Refer to Procedure 100-006 in Section E. (/qs3/pubsys2/xml/en/procedures/255/255-100-006.html)	Cummins® Product Technology
QSK50 CM2350 K130	5504180	Refer to Procedure 100-006 in Section E. (/qs3/pubsys2/xml/en/procedures/536/536-100-006.html)	Cummins® Product Technology
QSK50 CM2350 K146G	5612932	Refer to Procedure 100-006 in Section E. (/qs3/pubsys2/xml/en/procedures/757/757-100-006.html)	Cummins® Product Technology
QSK60 G CM2358 K110	4383781	Refer to Procedure 100-006 in Section E. (/qs3/pubsys2/xml/en/procedures/227/227-100-006.html)	Cummins® Product Technology

Table 9, K Series

Service Model Name	Bulletin Number	Procedure Number	Procedure
QSK60 CM2150 K132M	5504235	Refer to Procedure 100-006 in Section E. (/qs3/pubsys2/xml/en/procedures/568/568-100-006.html)	Cummins® Product Technology
QSK60 CM2250 K112	4367454	Refer to Procedure 100-006 in Section E. (/qs3/pubsys2/xml/en/procedures/343/343-100-006.html)	Cummins® Product Technology
QSK60 CM2350 K116	4367444	Refer to Procedure 100-006 in Section E. (/qs3/pubsys2/xml/en/procedures/345/345-100-006.html)	Cummins® Product Technology
QSK60 CM2350 K117	4367449	Refer to Procedure 100-006 in Section E. (/qs3/pubsys2/xml/en/procedures/347/347-100-006.html)	Cummins® Product Technology
QSK60 CM2350 K121	4388645	Refer to Procedure 100-006 in Section E. (/qs3/pubsys2/xml/en/procedures/367/367-100-006.html)	Cummins® Product Technology
QSK60 CM2350 K135	5504626	Refer to Procedure 100-006 in Section E. (/qs3/pubsys2/xml/en/procedures/587/587-100-006.html)	Cummins® Product Technology
QSK60 CM2350 K136	5504631	Refer to Procedure 100-006 in Section E. (/qs3/pubsys2/xml/en/procedures/589/589-100-006.html)	Cummins® Product Technology

Table 9, K Series

Service Model Name	Bulletin Number	Procedure Number	Procedure
QSK60 CM2350 K149M	5659886	Refer to Procedure 100-006 in Section E. (/qs3/pubsys2/xml/en/procedures/1103/1103-100-006.html)	Cummins® Product Technology
QSK60G CM2358 K156G	5660006	Refer to Procedure 100-006 in Section E. (/qs3/pubsys2/xml/en/procedures/1058/1058-100-006.html)	Cummins® Product Technology
QSK78 CM2250 K104	4332682	Refer to Procedure 100-006 in Section E. (/qs3/pubsys2/xml/en/procedures/225/225-100-006.html)	Cummins® Product Technology
QSK78 CM2350 K126	5504266	Refer to Procedure 100-006 in Section E. (/qs3/pubsys2/xml/en/procedures/461/461-100-006.html)	Cummins® Product Technology
QSK78 CM2350 K137	5504636	Refer to Procedure 100-006 in Section E. (/qs3/pubsys2/xml/en/procedures/591/591-100-006.html)	Cummins® Product Technology
QSK78 CM2350 K154C	5676944	Refer to Procedure 100-006 in Section E. (/qs3/pubsys2/xml/en/procedures/1046/1046-100-006.html)	Cummins® Product Technology
QSK95 CM2350 K111	4358519	Refer to Procedure 100-006 in Section E. (/qs3/pubsys2/xml/en/procedures/315/315-100-006.html)	Cummins® Product Technology

Table 9, K Series

Service Model Name	Bulletin Number	Procedure Number	Procedure
QSK95 CM2350 K113	4388663	Refer to Procedure 100-006 in Section E. (/qs3/pubsys2/xml/en/procedures/401/401-100-006.html)	Cummins® Product Technology
QSK95 CM2350 K128M	5411387	Refer to Procedure 100-006 in Section E. (/qs3/pubsys2/xml/en/procedures/469/469-100-006.html)	Cummins® Product Technology
QSK95 CM2350 K143C	5613135	Refer to Procedure 100-006 in Section E. (/qs3/pubsys2/xml/en/procedures/700/700-100-006.html)	Cummins® Product Technology
QSK95 CM2350 K147C	5676896	Refer to Procedure 100-006 in Section E (/qs3/pubsys2/xml/en/procedures/918/918-100-006.html)	Cummins® Product Technology

Table 10, L Series

Service Model Name	Bulletin Number	Procedure Number	Procedure
L8.9G CMOH2.0 L125B	5504210	Refer to Procedure 100-006 in Section E. (/qs3/pubsys2/xml/en/procedures/562/562-100-006.html)	Cummins® Product Technology
L8.9 CM2880 L146G	6312718	Refer to Procedure 100-006 in Section E. (/qs3/pubsys2/xml/en/procedures/1188/1188-100-006.html)	Cummins® Product Technology

Table 10, L Series

Service Model Name	Bulletin Number	Procedure Number	Procedure
L9 CM2350 L116B	5411330	Refer to Procedure 100-006 in Section E. (/qs3/pubsys2/xml/en/procedures/459/459-100-006.html)	Cummins® Product Technology
L9 CM2350 L119B	5411267	Refer to Procedure 100-006 in Section E. (/qs3/pubsys2/xml/en/procedures/425/425-100-006.html)	Cummins® Product Technology
L9 CM2350 L120C	5504199	Refer to Procedure 100-006 in Section E. (/qs3/pubsys2/xml/en/procedures/560/560-100-006.html)	Cummins® Product Technology
L9 CM2350 L123B	5411465	Refer to Procedure 100-006 in Section E. (/qs3/pubsys2/xml/en/procedures/504/504-100-006.html)	Cummins® Product Technology
L9 CM2350 L129C	5579689	Refer to Procedure 100-006 in Section E. (/qs3/pubsys2/xml/en/procedures/639/639-100-006.html)	Cummins® Product Technology
L9 CM2350 L133C	5613155	Refer to Procedure 100-006 in Section E. (/qs3/pubsys2/xml/en/procedures/727/727-100-006.html)	Cummins® Product Technology
L9 CM2350 L148C	6320252	Refer to Procedure 100-006 in Section E. (/qs3/pubsys2/xml/en/procedures/1200/1200-100-006.html)	Cummins® Product Technology

Table 10, L Series

Service Model Name	Bulletin Number	Procedure Number	Procedure
L9 CM2350 L151C	6396908	Refer to Procedure 100-006 in Section E. (/qs3/pubsys2/xml/en/procedures/1248/1248-100-006.html)	Cummins® Product Technology
L9 CM2450 L126B	5613077	Refer to Procedure 100-006 in Section E. (/qs3/pubsys2/xml/en/procedures/583/583-100-006.html)	Cummins® Product Technology
L9 CM2670 L128B	5504589	Refer to Procedure 100-006 in Section E. (/qs3/pubsys2/xml/en/procedures/622/622-100-006.html)	Cummins® Product Technology
L9 CM2670 L132B	5660060	Refer to Procedure 100-006 in Section E. (/qs3/pubsys2/xml/en/procedures/781/781-100-006.html)	Cummins® Product Technology
L9 CM2670 L134C	5579952	Refer to Procedure 100-006 in Section E. (/qs3/pubsys2/xml/en/procedures/745/745-100-006.html)	Cummins® Product Technology
L9 CM2670 L135C	5579957	Refer to Procedure 100-006 in Section E. (/qs3/pubsys2/xml/en/procedures/747/747-100-006.html)	Cummins® Product Technology
L9 CM2670 L136C	5579962	Refer to Procedure 100-006 in Section E. (/qs3/pubsys2/xml/en/procedures/749/749-100-006.html)	Cummins® Product Technology

Table 10, L Series

Service Model Name	Bulletin Number	Procedure Number	Procedure
L9 CM2670 L137C	5579967	Refer to Procedure 100-006 in Section E. (/qs3/pubsys2/xml/en/procedures/751/751-100-006.html)	Cummins® Product Technology
L9.3 L105	4326067	Refer to Procedure 100-006 in Section E. (/qs3/pubsys2/xml/en/procedures/208/208-100-006-tr.html)	Cummins® Product Technology
L9.5 L117	4388736	Refer to Procedure 100-006 in Section E. (/qs3/pubsys2/xml/en/procedures/435/435-100-006.html)	Cummins® Product Technology
L9N CM2380 L124B	5467492	Refer to Procedure 100-006 in Section E. (/qs3/pubsys2/xml/en/procedures/521/521-100-006.html)	Cummins® Product Technology
L9N CM2380 L142B	5659916	Refer to Procedure 100-006 in Section E. (/qs3/pubsys2/xml/en/procedures/1050/1050-100-006.html)	Cummins® Product Technology
L9N CM2380 L147B	6314855	Refer to Procedure 100-006 in Section E (/qs3/pubsys2/xml/en/procedures/1196/1196-100-006.html)	Cummins® Product Technology
ISL8.9 CM2150 L110	4358475	Refer to Procedure 100-006 in Section E. (/qs3/pubsys2/xml/en/procedures/323/323-100-006.html)	Cummins® Product Technology

Table 10, L Series

Service Model Name	Bulletin Number	Procedure Number	Procedure
ISL8.9 CM2880 L112	4358493	Refer to Procedure 100-006 in Section E. (/qs3/pubsys2/xml/en/procedures/336/336-100-006.html)	Cummins® Product Technology
ISL9 CM2350 L101	4310787	Refer to Procedure 100-006 in Section E. (/qs3/pubsys2/xml/en/procedures/185/185-100-006-tr.html)	Cummins® Product Technology
ISL9 CM2350 L111	4367223	Refer to Procedure 100-006 in Section E. (/qs3/pubsys2/xml/en/procedures/341/341-100-006.html)	Cummins® Product Technology
ISL9 CM2350 L163B	6431332	Refer to Procedure 100-006 in Section E. (/qs3/pubsys2/xml/en/procedures/1302/1302-100-006.html)	Cummins® Product Technology
QSL9 CM2350 L102	4332796	Refer to Procedure 100-006 in Section E. (/qs3/pubsys2/xml/en/procedures/261/261-100-006.html)	Cummins® Product Technology
QSL9 CM2350 L107	4367386	Refer to Procedure 100-006 in Section E. (/qs3/pubsys2/xml/en/procedures/333/333-100-006.html)	Cummins® Product Technology
QSL9 CM2250 L115	4388626	Refer to Procedure 100-006 in Section E. (/qs3/pubsys2/xml/en/procedures/409/409-100-006.html)	Cummins® Product Technology

Table 10, L Series

Service Model Name	Bulletin Number	Procedure Number	Procedure
QSL9 CM2350 L118	4388673	Refer to Procedure 100-006 in Section E. (/qs3/pubsys2/xml/en/procedures/421/421-100-006.html)	Cummins® Product Technology
QSL9 CM2350 L122	5411278	Refer to Procedure 100-006 in Section E. (/qs3/pubsys2/xml/en/procedures/487/487-100-006.html)	Cummins® Product Technology
QSL9 M CM2250 L106	4358343	Refer to Procedure 100-006 in Section E. (/qs3/pubsys2/xml/en/procedures/263/263-100-006.html)	Cummins® Product Technology
QSL9.3 CM2880 L113	4383811	Refer to Procedure 100-006 in Section E. (/qs3/pubsys2/xml/en/procedures/403/403-100-006.html)	Cummins® Product Technology

Table 11, M Series

Service Model Name	Bulletin Number	Procedure Number	Procedure
ISM11 CM876 M103	5504552	Refer to Procedure 100-006 in Section E. (/qs3/pubsys2/xml/en/procedures/606/606-100-006.html)	Cummins® Product Technology
M12/M13 CM2670 M115B	6414470	Refer to Procedure 100-006 in Section E. (/qs3/pubsys2/xml/en/procedures/1284/1284-100-006.html)	Cummins® Product Technology

Table 11, M Series

Service Model Name	Bulletin Number	Procedure Number	Procedure
M14 CM2670 M111C	6314864	Refer to Procedure 100-006 in Section E. (/qs3/pubsys2/xml/en/procedures/1190/1190-100-006.html)	Cummins® Product Technology
M15 CM2670 M106B	5676909	Refer to Procedure 100-006 in Section E. (/qs3/pubsys2/xml/en/procedures/1091/1091-100-006.html)	Cummins® Product Technology
M15 CM2670 M108B	5659809	Refer to Procedure 100-006 in Section E. (/qs3/pubsys2/xml/en/procedures/1024/1024-100-006.html)	Cummins® Product Technology
M15 CM2670 M112C	6314873	Refer to Procedure 100-006 in Section E. (/qs3/pubsys2/xml/en/procedures/1192/1192-100-006.html)	Cummins® Product Technology
M15 CM2670 M113G	6408752	Refer to Procedure 100-006 in Section E. (/qs3/pubsys2/xml/en/procedures/1266/1266-100-006.html)	Cummins® Product Technology
M15 CM2670 M114C	6412765	Refer to Procedure 100-006 in Section E. (/qs3/pubsys2/xml/en/procedures/1280/1280-100-006.html)	Cummins® Product Technology
QSM11 CM876 M101	5504547	Refer to Procedure 100-006 in Section E. (/qs3/pubsys2/xml/en/procedures/604/604-100-006.html)	Cummins® Product Technology

Table 11, M Series

Service Model Name	Bulletin Number	Procedure Number	Procedure
QSM11 CM876 M102M	5504542	Refer to Procedure 100-006 in Section E. (/qs3/pubsys2/xml/en/procedures/602/602-100-006.html)	Cummins® Product Technology

Table 12, N Series

Service Model Name	Bulletin Number	Procedure Number	Procedure
6.7N CM2380 D109B	5676939	Refer to Procedure 100-006 in Section E. (/qs3/pubsys2/xml/en/procedures/1101/1101-100-006.html)	Cummins® Product Technology
15N CM2380 M104B	5659763	Refer to Procedure 100-006 in Section E. (/qs3/pubsys2/xml/en/procedures/1016/1016-100-006.html)	Cummins® Product Technology
15N CM2380 M105B	5659768	Refer to Procedure 100-006 in Section E. (/qs3/pubsys2/xml/en/procedures/1018/1018-100-006.html)	Cummins® Product Technology
N14 CM876 N108B	5579823	Refer to Procedure 100-006 in Section E. (/qs3/pubsys2/xml/en/procedures/676/676-100-006.html)	Cummins® Product Technology
QSN14 CM876 N103	4358358	Refer to Procedure 100-006 in Section E. (/qs3/pubsys2/xml/en/procedures/303/303-100-006.html)	Cummins® Product Technology

Table 12, N Series

Service Model Name	Bulletin Number	Procedure Number	Procedure
QSNT14 CM876 N102	4325993	Refer to Procedure 100-006 in Section E. (/qs3/pubsys2/xml/en/procedures/206/206-100-006.html)	Cummins® Product Technology

Table 13, R Series

Service Model Name	Bulletin Number	Procedure Number	Procedure
R2.8 CM2220 R101B	5467556	Refer to Procedure 100-006 in Section E. (/qs3/pubsys2/xml/en/procedures/532/532-100-006.html)	Cummins® Product Technology
R2.8 CM2220 R102C	6457240	Refer to Procedure 100-006 in Section E. (/qs3/pubsys2/xml/en/procedures/1365/1365-100-006.html)	Cummins® Product Technology

Table 14, T Series

Service Model Name	Bulletin Number	Procedure Number	Procedure
QST30 CM2350 T101	5467179	Refer to Procedure 100-006 in Section E. (/qs3/pubsys2/xml/en/procedures/363/363-100-006.html)	Cummins® Product Technology
QST30 CM2350 T103C	6309062	Refer to Procedure 100-006 in Section E. (/qs3/pubsys2/xml/en/procedures/1085/1085-100-006.html)	Cummins® Product Technology

Table 15, TR Series			
Service Model Name	Bulletin Number	Procedure Number	Procedure
QTR TR101	4326042	Refer to Procedure 344-003 in Section E. (/qs3/pubsys2/xml/en/procedures/212/212-344-003.html)	Cummins® Product Technology
Table 16, V Series			
Service Model Name	Bulletin Number	Procedure Number	Procedure
ISV5.0 CM3230 V104	4367291	Refer to Procedure 100-006 in Section E. (/qs3/pubsys2/xml/en/procedures/244/244-100-006.html)	Cummins® Product Technology
VTA903 CM2250 V105	4332841	Refer to Procedure 100-006 in Section E. (/qs3/pubsys2/xml/en/procedures/294/294-100-006.html)	Cummins® Product Technology
QSV91-G4 CM558/CM700 V102	4326107	Refer to Procedure 100-006 in Section E. (/qs3/pubsys2/xml/en/procedures/66/66-100-006-tr-qsvg4.html)	Cummins® Product Technology
Table 17, X Series			
Service Model Name	Bulletin Number	Procedure Number	Procedure
X12 CM2350 X119B	5467515	Refer to Procedure 100-006 in Section E. (/qs3/pubsys2/xml/en/procedures/517/517-100-006.html)	Cummins® Product Technology
X12 CM2450 X137B	5659705	Refer to Procedure 100-006 in Section E. (/qs3/pubsys2/xml/en/procedures/674/674-100-006.html)	Cummins® Product Technology

Table 17, X Series

Service Model Name	Bulletin Number	Procedure Number	Procedure
X12 CM2670 X121B	5504455	Refer to Procedure 100-006 in Section E. (/qs3/pubsys2/xml/en/procedures/598/598-100-006.html)	Cummins® Product Technology
X12 CM2670 X135C	5579778	Refer to Procedure 100-006 in Section E. (/qs3/pubsys2/xml/en/procedures/660/660-100-006.html)	Cummins® Product Technology
X12 CM2670 X136B	5579783	Refer to Procedure 100-006 in Section E. (/qs3/pubsys2/xml/en/procedures/662/662-100-006.html)	Cummins® Product Technology
X12 CM2350 X144C	5659745	Refer to Procedure 100-006 in Section E. (/qs3/pubsys2/xml/en/procedures/1010/1010-100-006.html)	Cummins® Product Technology
X12N CMMDG1 X143B	5659676	Refer to Procedure 100-006 in Section E. (/qs3/pubsys2/xml/en/procedures/643/643-100-006.html)	Cummins® Product Technology
ISX12 CM2350 X102	4310646	Refer to Procedure 100-006 in Section E. (/qs3/pubsys2/xml/en/procedures/174/174-100-006-tr-pbix13.html)	Cummins® Product Technology
ISX12N CM2380 X120B	5504152	Refer to Procedure 100-006 in Section E. (/qs3/pubsys2/xml/en/procedures/525/525-100-006.html)	Cummins® Product Technology

Table 17, X Series

Service Model Name	Bulletin Number	Procedure Number	Procedure
ISX15 CM2350 X101	4310641	Refer to Procedure 100-006 in Section E. (/qs3/pubsys2/xml/en/procedures/173/173-100-006-tr-prix13.html)	Cummins® Product Technology
X15 CM2350 X114B	5411181	Refer to Procedure 100-006 in Section E. (/qs3/pubsys2/xml/en/procedures/377/377-100-006.html)	Cummins® Product Technology
X15 CM2350 X116B	5411186	Refer to Procedure 100-006 in Section E. (/qs3/pubsys2/xml/en/procedures/453/453-100-006.html)	Cummins® Product Technology
X15 CM2350 X123B	5504510	Refer to Procedure 100-006 in Section E. (/qs3/pubsys2/xml/en/procedures/538/538-100-006.html)	Cummins® Product Technology
X15 CM2350 X125M	5504345	Refer to Procedure 100-006 in Section E. (/qs3/pubsys2/xml/en/procedures/566/566-100-006.html)	Cummins® Product Technology
X15 CM2350 X129B	5504557	Refer to Procedure 100-006 in Section E. (/qs3/pubsys2/xml/en/procedures/608/608-100-006.html)	Cummins® Product Technology
X15 CM2350 X140C	5659710	Refer to Procedure 100-006 in Section E. (/qs3/pubsys2/xml/en/procedures/894/894-100-006.html)	Cummins® Product Technology

Table 17, X Series

Service Model Name	Bulletin Number	Procedure Number	Procedure
X15 CM2350 X130C	5504562	Refer to Procedure 100-006 in Section E. (/qs3/pubsys2/xml/en/procedures/612/612-100-006.html)	Cummins® Product Technology
X15 CM2350 X131	5504567	Refer to Procedure 100-006 in Section E. (/qs3/pubsys2/xml/en/procedures/610/610-100-006.html)	Cummins® Product Technology
X15 CM2350 X132C	5677316	Refer to Procedure 100-006 in Section E. (/qs3/pubsys2/xml/en/procedures/614/614-100-006.html)	Cummins® Product Technology
X15 CM2350 X139C	6318179	Refer to Procedure 100-006 in Section E. (/qs3/pubsys2/xml/en/procedures/1198/1198-100-006.html)	Cummins® Product Technology
X15 CM2450 X124B	5504583	Refer to Procedure 100-006 in Section E. (/qs3/pubsys2/xml/en/procedures/564/564-100-006.html)	Cummins® Product Technology
X15 CM2450 X134B	5613373	Refer to Procedure 100-006 in Section E. (/qs3/pubsys2/xml/en/procedures/643/643-100-006.html)	Cummins® Product Technology
X15 CM2450 X142B	6380843	Refer to Procedure 100-006 in Section E. (/qs3/pubsys2/xml/en/procedures/1014/1014-100-006.html)	Cummins® Product Technology

Table 17, X Series

Service Model Name	Bulletin Number	Procedure Number	Procedure
X15 CM2670 X145B	-	Refer to Procedure 100-006 in Section E. (/qs3/pubsys2/xml/en/procedures/1089/1089-100-006.html)	Cummins® Product Technology
QSX15 CM2250 X115	4388739	Refer to Procedure 100-006 in Section E. (/qs3/pubsys2/xml/en/procedures/431/431-100-006.html)	Cummins® Product Technology
QSX15 CM2350 X105	4332667	Refer to Procedure 100-006 in Section E. (/qs3/pubsys2/xml/en/procedures/250/250-100-006.html)	Cummins® Product Technology
QSX15 CM2350 X106	4332712	Refer to Procedure 100-006 in Section E. (/qs3/pubsys2/xml/en/procedures/221/221-100-006.html)	Cummins® Product Technology
QSX15 CM2350 X118	5467247	Refer to Procedure 100-006 in Section E. (/qs3/pubsys2/xml/en/procedures/485/485-100-006.html)	Cummins® Product Technology
X13 CM2670 X122B	5504460	Refer to Procedure 100-006 in Section E. (/qs3/pubsys2/xml/en/procedures/600/600-100-006.html)	Cummins® Product Technology
X13 CM2880 X138B	5613141	Refer to Procedure 100-006 in Section E. (/qs3/pubsys2/xml/en/procedures/798/798-100-006.html)	Cummins® Product Technology

Table 17, X Series

Service Model Name	Bulletin Number	Procedure Number	Procedure
X11 CM2670 X126B	5504465	Refer to Procedure 100-006 in Section E. (/qs3/pubsys2/xml/en/procedures/571/571-100-006.html)	Cummins® Product Technology

Table 18, Z Series

Service Model Name	Bulletin Number	Procedure Number	Procedure
ISZ13 CM2150 Z106B	5659930	Refer to Procedure 100-006 in Section E. (/qs3/pubsys2/xml/en/procedures/1056/1056-100-006.html)	Cummins® Product Technology
QSZ13 CM2150 Z101	4358364	Refer to Procedure 100-006 in Section E. (/qs3/pubsys2/xml/en/procedures/267/267-100-006.html)	Cummins® Product Technology
QSZ13 CM2150 Z102	4358369	Refer to Procedure 100-006 in Section E. (/qs3/pubsys2/xml/en/procedures/269/269-100-006.html)	Cummins® Product Technology
Z13 CM2880 Z104G	5659691	Refer to Procedure 100-006 in Section E. (/qs3/pubsys2/xml/en/procedures/996/996-100-006.html)	Cummins® Product Technology
Z14 CM2670 Z103B	5504577	Refer to Procedure 100-006 in Section E. (/qs3/pubsys2/xml/en/procedures/577/577-100-006.html)	Cummins® Product Technology

Table 18, Z Series			
Service Model Name	Bulletin Number	Procedure Number	Procedure
Z14 CM2670 Z109C	6314882	Refer to Procedure 100-006 in Section E (/qs3/pubsys2/xml/en/procedures/1194/1194-100-006.html)	Cummins® Product Technology
Z15 CM2670 Z107B	5659799	Refer to Procedure 100-006 in Section E. (/qs3/pubsys2/xml/en/procedures/1020/1020-100-006.html)	Cummins® Product Technology

Document History

Date	Details
2013-4-29	Module Created
2016-9-7	Adding additional engine families. Added 2017 engine model name strategy.
2018-12-12	Updated QSG12 CM2350 G110 to QSG12/X12 CM2350 G110. Reference TSB140132.
2021-10-20	Corrected ISB6.7 CM2450 B155B to B6.7 CM2450 B155B.100-006 in Section E.
2022-3-16	Added bulletin number for ISZ13 CM2150 Z106B.
2022-5-11	Corrected hyperlink to 100-006 procedure for B4.5 CM2350 B129B.
2022-7-22	Added Battery Electric System section.
2022-7-27	Updated weblinks.
2023-10-6	Updated tables.