

# ABS/VSC DTC C1247 - Stroke Sensor Detection Logic Update

## SB-10048160-3140

Service Category Brake

Section Brake Control/Dynamic Control System Market USA



### Applicability

YEAR(S)	MODEL(S)	ADDITIONAL INFORMATION
2004 – 2009	Prius	

#### REVISION NOTICE

June 25, 2014 Rev1:

- Applicability has been updated to remove 2007 – 2011 model year Camry HV vehicles. Refer to T-SB-0040-14 for the applicable Camry HV procedure.

Any previous printed versions of this bulletin should be discarded.

### Introduction

Some 2004 – 2009 model year Prius vehicles may exhibit a MIL “ON” and brake warning lights (ABS/VSC) illuminated in the instrument panel with Diagnostic Trouble Code (DTC) C1247 (Stroke Sensor Malfunction) stored in the ABS/VSC Electronic Control Unit (ECU). This DTC may set as a result of an overly sensitive monitoring logic without any other ABS/VSC system issue. Follow the Repair Procedure in this bulletin to properly diagnose the system and, if necessary, replace the ABS/VSC ECU with an ECU containing the updated monitoring logic.

### Warranty Information

OP CODE	DESCRIPTION	TIME	MODEL	OFF	T1	T2
896011	R & R Skid Control Computer	2.0	Prius	89540-47060 89540-47130	8A	74

#### APPLICABLE WARRANTY

- This repair is covered under the Toyota Basic Warranty. This warranty is in effect for 36 months or 36,000 miles, whichever occurs first, from the vehicle’s in-service date.
- Warranty application is limited to occurrence of the specified condition described in this bulletin.

## ABS/VSC DTC C1247 - Stroke Sensor Detection Logic Update

### Parts Information

MODEL YEAR	PART NUMBER	PART NAME	QTY
2004	89540-47060	Computer Assy, Skid Control	1
2005-2009	89540-47130		

### Required Tools & Equipment

REQUIRED EQUIPMENT	SUPPLIER	PART NUMBER	QTY
Techstream 2.0*	ADE	TS2UNIT	1
TIS Techstream		TSPKG1	
Techstream Lite		TSLITEDLR01	

\* Essential SST.

#### NOTE

- Only ONE of the Techstream units listed above is required.
- Software version 9.10.037 or later is required.
- Additional Techstream units may be ordered by calling Approved Dealer Equipment (ADE) at 1-800-368-6787.

### Repair Procedure

1. Using Techstream, perform a Health Check and confirm that DTC C1247 is present in the ABS/VSC ECU.
2. Follow the diagnostics for this DTC.

Refer to the Technical Information System (TIS), applicable model and model year Repair Manual:

- [2004](#) / [2005](#) Prius:  
*Brake – Brake Control/Dynamic Control System – “Electronically Controlled Brake System: C1247/47, C1392/48 Un-correction of A Zero Point of the Stroke Sensor”*
- [2006](#) / [2007](#) / [2008](#) / [2009](#) Prius:  
*Brake – Brake Control/Dynamic Control System – “Brake Control: Electronically Controlled Brake System: C1247/47, C1392/48: Stroke Sensor Malfunction”*

## ABS/VSC DTC C1247 - Stroke Sensor Detection Logic Update

---

### Repair Procedure (Continued)

3. In the event that NO problem can be found for this DTC, replace the ABS/VSC ECU.

Refer to TIS, applicable model and model year Repair Manual:

- 2004 Prius:  
*Brake – Brake Control/Dynamic Control System – “Skid Control ECU Assy: Replacement”*
- 2005 Prius:  
*Brake – Brake Control/Dynamic Control System – “Skid Control ECU Assy: Replacement”*
- 2006 Prius:  
*Brake – Brake Control/Dynamic Control System – “Brake Control: Skid Control ECU: Removal / Installation”*
- 2007 Prius:  
*Brake – Brake Control/Dynamic Control System: – “Brake Control: Skid Control ECU: Removal / Installation”*
- 2008 Prius:  
*Brake – Brake Control/Dynamic Control System – “Brake Control: Skid Control ECU: Removal / Installation”*
- 2009 Prius:  
*Brake – Brake Control/Dynamic Control System – “Brake Control: Skid Control ECU: Removal / Installation”*

4. Clear any stored DTCs.
5. Disconnect Techstream.
6. Test drive vehicle to confirm the condition has been corrected.