

TECHNICAL BULLETIN
LTB00801NAS1
31 JUL 2015



© Jaguar Land Rover North America, LLC

NOTE: The information in Technical Bulletins is intended for use by trained, professional Technicians with the knowledge, tools, and equipment required to do the job properly and safely. It informs these Technicians of conditions that may occur on some vehicles, or provides information that could assist in proper vehicle service. The procedures should not be performed by 'do-it-yourselfers'. If you are not a Retailer, do not assume that a condition described affects your vehicle. Contact an authorized Land Rover service facility to determine whether this bulletin applies to a specific vehicle.

SECTION: 501-05

Power Tailgate Switch Loose/Adrift

AFFECTED VEHICLE RANGE:

Discovery Sport (LC)

Model Year: 2015
VIN: 500001-506555
Manufacturing Plant: Halewood

MARKETS:

NAS

CONDITION SUMMARY:

Situation: The power tailgate switch may be loose/adrift.

Cause: This may be caused by the tailgate trim pressing being out of tolerance.

Action: Should a customer express this concern, follow the Service Instruction below.

PARTS:

LR061122	Interior tailgate trim - Ebony	Quantity: 1
LR061121	Interior tailgate trim - Lunar	Quantity: 1
LR006101	Nylon Clip	Quantity: 9
LR001790	Metal Clip	Quantity: 3

WARRANTY:

 **NOTE: Repair procedures are under constant review, and therefore times are subject to change; those quoted here must be taken as guidance only. Always refer to TOPIx to obtain the latest repair time.**

 **NOTE: DDW requires the use of causal part numbers. Labor only claims must show the causal part number with a quantity of zero.**

DESCRIPTION	SRO	TIME (HOURS)	CONDITION CODE	CAUSAL PART
Interior tailgate trim - Renew	76.34.11	0.3	17	LR061122

 **NOTE: Normal Warranty procedures apply.**

SERVICE INSTRUCTION:

1. Open the power tailgate.

2. Inspect for a loose/adrift power tailgate switch.

3.  **NOTE: the 'tailgate' may also be referred to as 'liftgate'.**

Install a new tailgate trim panel (see TOPIx Workshop Manual, section 501-05).

4. Check the operation of the power tailgate by using the power tailgate switch to close and open the tailgate.